JSW STEEL LTD, DOLVI WORKS

Six Monthly Compliance, Status report
(Apr'2025 to Sep'2025)

3.5 (1.0+2.5) MTPA Coke Oven and By-product plant – Transfer of 1.0 MTPA Coke oven and by-product plant – from EC of 3 to 5 MTPA and 2.5 MTPA Coke Oven with by-product plant from EC of Expansion of Integrated Steel plant from 5 to 10 MTPA and Power plant from 300 MW to 600 MW (Gas Based) of M/s. JSW Steel Limited in Geetapuram, Village Dolvi, Tehsil – Pen, District- Raigad, Maharashtra

Environmental Clearance for 3.5 MTPA Coke Oven Plant at Dolvi Coke Projects Ltd. vide letter No F.No. IA-J-11011/497/2017-IA-II(I) dated 01/02/2018.

Transfer of Environmental Clearance accorded for 3.5 MTPA Coke oven plant and By-product plant from M/s. Dolvi Coke Projects Ltd. To M/s. JSW Steel ltd vide EC Letter No F.No. IA-J-11011/497/2017-IA-II(I) dated 22/11/2021.

ENVIRONMENTAL MANAGEMENT DEPARTMENT

JSW STEEL LTD, DOLVI WORKS, TALUKA PEN, RAIGAD-DISTRICT, MAHARASHTRA 402107

Annexure-V

The production facilities after the expansion are given below:

S. No	Technological Facility	EC accorded for Facilities under 5 MTPA		Total unit capacities at 10 MTPA	Compliance Status
1.	DR1 (Gas based Mega Module)	2.0 MTPA (by augmentation)	2.0 MTPA	4.0 MTPA	 2 MTPA plant in operation 2 MTPA plant under 5-10 MTPA, & technology finalization under progress
2.	Pellet Plant	4.0 MTPA	9.0 MTPA	13.0 MTPA	 4 MTPA plant in operation 9 MTPA plant under 5-10 MTPA, Plant is commissioned and in operation.
3.	Coke Ovens including By- product plant	2.0 MTPA	2.5 MTPA	4.5 MTPA	 1.0 MTPA in operation under EC M/s. Amba River Coke Ltd 3.5 MTPA Coke Oven, EC transferred to Dolvi Coke Projects Ltd (DCPL) and further changed as JSW Steel Ltd. 3.0 MTPA plant is in operation (Battery A, B, C & D)
4.	Sinter Plant	2.8+3.2 MTPA	4.0 MTPA	10.0 MTPA	 2.8+2.5 MTPA plants are in operation. The 8 MTPA plant under 5-10 MTPA is being amended to 4 MTPA for which amendment done. Technology to be finalised.
5.	Blast Furnace including Pig casting	3.6 MTPA (by augmentation)	4.5 MTPA	8.1 MTPA	 3.5 MTPA plant in operation 4.5 MTPA plant under 5-10 MTPA, Plant is Commissioned and in operation.
6.	SMS (CONARC)	5.2 MTPA (by augmentation)		5.2 MTPA	5.2 MTPA Plant in operation

7.	SMS -BOF		6.0 MTPA	6.0 MTPA	Plant is commissioned and in operation.
8.	Ladle Furnace (LF)	2x200t +205t	2X300t	2x200t +205t 2X300t	 2x200t +205t LF in operation 2X30t LF under 5-10 MTPA is commissioned and in operation
9.	VD/VOD & RH-TP	1x200t+1x205t	2x300t	1x200t +1x205t 2x300t	 1x200t+1x205t in operation 1x200t +1x205t 2x300t under 5-10 MTPA, is in operation.
10.	CSP(HRC Coil) Thin Caster- cum-Hot Strip Finishing Train	3.5 MTPA (By Augmenting)	-	3.5 MTPA	3.5 MTPA plant in operation.
11.	Convention al Slab Caster	2x1 strands (3.68 MTPA)	2x2 strands (5.72 MTPA)	Total 6 strands (9.4 MTPA)	 2x1 strands (3.68 MTPA) in operation 2x2 strands (5.72 MTPA) under 5-10 MTPA, is in operation.
12.	Billet Caster	-	1x6 Strands	6 strands (1.5 MTPA)	1x6 strands (1.5 MTPA) plant in operation.
13.	Plate Mill	1.5 MTPA	-	1.5 MTPA	Technology to be finalised.
14.	CRM (Hot Rolled Skin Pass + Cold Rolled Full Hard Coil + Hot Rolled Pickled & Oiled Coil)	1.0 MTPA	1.5 MTPA	2.5 MTPA	Technology to be finalized.
15.	Galvanizing Line (Cold Rolled Steel Strips, Hot Dip Zinc Coated Full Hard)	0.6 MTPA	-	0.6 MTPA	Technology to be finalized.
16.	Electrical Steel CRGO line	0.4 MTPA	-	0.4 MTPA	Technology to be finalised.

17.	Tin Plate Mill	0.4 MTPA	-	0.4 MTPA	Technology to be finalised.
18.	Colour Coating Plant	0.5 MTPA	-	0.5 MTPA	Technology to be finalised.
19.	Lime/Dolo Plant	1800 TPD	1800 TPD	3600 TPD	 1800 TPD plant in operation 1800 TPD plant under 5-10 MTPA, is in operation.
20.	Oxygen Plant	4100 TPD	3500 TPD	7600 TPD	• 2200 + 1260 TPD + 1000 TPD + 2200 TPD plant under 5-10 MTPA is in operation.
21.	Hot Rolling Mill with shearing & slitting line	-	5.0 MTPA	5.0 MTPA	5 MTPA plant under 5-10 MTPA, is commissioned and in operation.
22.	Bar Mill	-	1.4 MTPA	1.4 MTPA	1.4 MTPA Plant in operation.
23.	Slag & Clinker Grinding Unit	11	10 MTPA	10 MTPA	EC transferred to JSW Cement Ltd.
24.	Captive Power Plant	300 MW	300 MW	600 MW (based on surplus gases of BF & Coke Oven)+RLN G	 55 MW Gas based CPP in operation. 175 MW CPP (Gas based) and 70 MW from CDQ under 5 -10 MTPA is in operation.
25.	Township	-	150 acres	150 acres	Work in progress

Sr. No.	ENVIRONMENTAL CLEARANCE CONDITIONS	COMPLIANCE STATUS
A)	Specific Conditions	
i	The project proponent should install 24x7 air and water monitoring devices to monitor air emission and effluent discharge, as provided by CPCB and submit report to Ministry and its Regional Office.	 Complying with Continuous Emission Monitoring System is installed at 46 Nos stack & connected to MPCB & CPCB for transmission of data online on real time basis. Information submitted to Regional Office of MoEF&CC along with six monthly compliances.
		The Six Monthly Environmental Monitoring Report attached in Annexure 1 A & 1 B for plants under Phase 1 & 2
ii	The PP should ensure treatment of effluent particularly from Blast Furnace (BF) and Coke Oven plant. The plant should be designed to meet the cyanide standards stipulated by MoEF&CC under EPA Act 1986.	Complied. Effluent from 2 nos Coke oven plants is being treated in 2 nos of Biological and Dephenolization Plants (BOD) for treatment of effluent as per standard. Effluent Treatment Plant (ETP) for effluent from gas cleaning plant of BF-1 is provided and for BF-2 the gas cleaning system is dry type, Hence, no effluent from gas cleaning of BF-2 generated.
iii	The commitment made by the PP for plantation of the green belt to the tune of 655 acres should be expedited. Three rows of green belt, 12-15 meters wide, all along the periphery of the plant should be planted.	Green Belt within Plant: Presently, 14% green belt is developed over 88.26 ha land within the plant premises and balance 11.34 Ha (2%) green belt development is in progress. Green belt developed with tree density 2500 trees/hectare and local species. Green Belt Outside Plant in 10 Km area: JSWSL Dolvi has carried out plantations in 248.9 ha of land outside the plant area. Of this, 51.0 ha has been carried out in degraded forest areas

iv	The CSR plan as submitted by the PP in the area of health care, rural infrastructure development, education, sports and cultural activity, Swachh Bharat Abhiyan with respect to the earlier projects and the ongoing project at Dolvi site are very slow in implementation. The CSR activities should be implemented expeditiously and simultaneously with the implementation of the project, and annual report on CSR activity should be submitted to the Ministry.	with the assistance of Forest department and 197.9 ha of Mangroves and other plantations have been carried out in nearby village areas. Green belt development outside plant premises is 40 % of the land area. Hence, Condition is complied. Complied with JSW foundation is the apex organization which is responsible for implementation of CSR activity in and around Dolvi works. JSW foundation is supported by JSW Steel Limited. CSR activities in various sectors are being done in the surrounding villages and a time bound action plan for various CSR activities have been submitted to MoEF&CC as per EAC recommendation of 2.5% of project cost. Amount spent on CSR Activities: The project proponent has spent Rs 11.83 Crores
		under CSR activity for 2025-26 (April'25 to Sept' 2025) The above amount has been spent on Social Development- (Education & Training), Skill Development, Water and Sanitization, Agriculture, Rural Development, Health, Solid Wastes Management and Community Development.
V	At least 5 % of the total cost of the project should be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent should prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector- wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village	The project proponent is carrying out CSR activities in various sectors are being done in the surrounding villages and a time bound action plan for various CSR activities have been submitted to MoEF&CC as per EAC recommendation of 2.5% of project cost. The CER activities shall be implemented in accordance with Ministry 's OM vide F.No.22 -

	roads, avenue plantation, etc.) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head should be created and the annual capital and revenue expenditure on various activities of the Plan should be submitted as part of the Compliance Report to RO, at Bhopal. The details of the CSR Plan should also be uploaded on the company website and should also be provided in the Annual Report of the company.	65/2017-IA III dated 1 st May 2018 within the Project implementation period. A separate budget is incurred under CER activities, which are included in the Budget proposal Amount spent on CER Activities is Rs 119.86 Crores . The above amount was spent on for construction of Multi-Speciality Hospital, Construction of Roads outside the pant premises, and expenditure on Tree plantation in nearby villages (outside the Plant). Hence the condition has been complied.
vi	No development should be done on the creek-ward side of the land. Land area between HTL to 100 mts or width of the creek, whichever is less, on the landward side should be kept free from any type of development.	Complied. The project proponent has restricted Development of plant beyond 100 metres from HTL & kept the same free. The same was confirmed through Survey was carried out by IRS, Chennai.
vii	No waste water will be discharged outside the plant boundary during normal operation. In case it become necessary to discharge effluent meeting norms fit to the marine environment, permission of the relevant authority should be obtained.	Complied. Excess treated effluent conforming to standards is being discharged to Amba River Estuary as per the permission obtained from MoEFCC — CRZ Division vide letter No F.No.11-7/2023-IA. III dated 5th April 2023.The permission is granted for discharge of treated water 615 M3/Hr.
viii	No untreated effluent should be reused for any process.	Complied. Wastewater is treated in ETP and treated effluent is reused industrial usage.
ix	Measures should be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks should	All necessary air pollution control devices provided:Stack of adequate height & diameter with continuous stack monitoring facilities for all

be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. should be provided to keep the emission levels below 50mg/Nm3 and installing energy efficient technologies in the Plant

- the stacks are provided, 46 nos of stacks are connected through OCEMS to CPCB and MPCB.
- ESP (17nos) and Bag Filters (157nos), Cyclone & 2 cmp; Venturi Scrubber (06 nos), Dry Cyclone separator (01 no) are provided to control the PM emission from stacks within norm.
- Raw Material handling area, yard sprinklers, dry fog system, Dust extraction systems provided to control the fugitive emissions.
 Constructed covered sheds for Raw Material storage purpose.
- Covered shed for Jetty yard-A with a capacity of 110,000MT for Coal Storage
- Covered shed for Jetty Yard-B with a total capacity of 305,000 MT for Iron Ore and Flux.
- Covered Sheds (2 Nos) for Pellet and Coke Storage of Capacity-1,20,000 MT each.
- Covered shed for storing Iron Ore Bearing Material and Flux. Capacity of the covered shed is 4,27,000 MT

Environmental Benefits of Covered Shed:

- No fugitive emission during handling of material
- No water contamination during rains
- No spillage of material on roads
- Covered storage shed prevents dust emission in the environment during operation of the yard.
- Total expenditure on covered shed will Rs 320 Crores
- Investment on Yard sprinklers, De-dusting system and Dry fogging system Rs 77.29 Crores
- Top gas recovery turbine from Blast furnace and Gas Based power plant.
- Energy efficient technologies provided in the

х	On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks should be provided and sufficient	Complied.Five Continuous Ambient Air QualityMonitoring stations have been installed in
		 Plant like waste heat recovery system, Sinter plant- 1 Boiler (7 TPH) Waste Heat Recovery Coke Oven -2 Boiler (20 TPH) Waste Heat Recovery Coke Oven -2 Boiler (9.2 TPH) Waste Heat Recovery Coke Oven -2 Boiler (5.2 TPH) Waste Heat Recovery Coke Oven -2 CD Boiler (5.2 TPH) Waste Heat Recovery Coke Oven -1 Boiler (4.5 TPH) Waste Heat Recovery Steel Melting Shop-2 Boiler (74 TPH) Waste Heat Recovery Coke Dry Quenching (CDQ) Boiler-1 (72 TPH) Waste Heat Recovery CDQ Boiler -2 (94 TPH) Waste Heat Recovery CDQ Boiler -3 (94 TPH) Waste Heat Recovery All internal roads are made by concrete. Regular operation of Road Sweeping machines and water sprinkler on road. Transfer of De-dusting system dusts and other secondary dusts generated from Pollution Control equipment by bulkers. The transfer of raw material from Jetty to plant is 100 % through belt and pipe conveyors thereby eliminating any chances of fugitive emission through transportation of material from outside plant to the raw material yard there by improving the Ambient Air Quality. Hence the condition is complied.

	(F - c - c - c - c - c - c - c - c - c -			
	air pollution control devices. Gaseous emission levels including secondary fugitive emissions from all the sources should be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30th May, 2008 and regularly monitored. Guidelines / Code of Practice issued by the CPCB should be followed.	 consultation with MPCB. All these stations are connected to URL of MPCB & CPCB & data is being transmitted online on real time basis for PM_{2.5}, PM₁₀, SO₂, NOx & CO Continuous Emission Monitoring System (CEMS) for all the required stacks as per CPCB guidelines is installed on 46 nos of Stacks. Adequate air pollution control devices are provide including Bag Filters to control fugitive emissions. 		
xi	Dust suppression system and bag filters should be installed to control the fugitive dust emissions at conveyor and transfer points, product handling, loading and unloading points,	Complied. Raw Material Handling areas, yard sprinklers, Dry fogging system, dust extraction system provided in the junction houses and transfer points. Dust suppression by dry fog systems / water spraying systems provided at Raw Material Handling Section (RMHS) and other applicable areas. All conveyors and Junction houses of Raw Material Handling systems are closed system. Details of covered shed for storage of Raw Material; Covered shed for Jetty yard-A with a capacity of 110,000MT for Coal Storage Covered shed for Jetty Yard-B with a total capacity of 305,000 MT for Iron Ore and Flux. Covered Sheds (2 Nos) for Pellet and Coke Storage of Capacity-1,20,000 MT each. Covered shed for storing Iron Ore Bearing Material and Flux. Capacity of the covered shed is 4,27,000 MT In Steel melting shop, Blast Furnace, Lime Calcination Plants, Pellet Plant adequate dedusting systems with ESPs, Dry Gas Cleaning Plant, Cyclones and Bag Filters provided.		

vii	Water consumption should not exceed as nor	Complied
xii	Water consumption should not exceed as per the CREP standard prescribed for the steel plants. Additional water, if any, required for the plant project operations. Should be met form rainwater stored in rainwater harvesting structures.	 The recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the steel plants are implemented regarding specific water consumption. The specific water consumption for the year 2025 - 26 (April to Sep 2025) was 2.33 m³/t of crude steel. Dry Gas Cleaning plant, a Best Available Technology installed in Blast Furnace. The traditional wet scrubbing process has high pressure drop due which the energy recovery is low (14 MW) but the bag filter has low pressure drop thus has high energy to recovery (36 MW), by using Dry GCP process the energy recovery has increase approx. of 22 MW, which has reduced specific water consumption. Coke Oven Plant - a Best Available Technology Coke Dry Quenching systems (3 Nos) installed and recovered the sensible heat of red hot coke, reduce energy consumption and pollution and improve the quality of coke.
xiii	Rainwater harvesting scheme should be prepared so that the rainwater can be collected, re-used and may be used for ground water recharge. The concrete drains should be de-silted and regular supervision of the areas should be carried out so that blocking of drains may be avoided for quick discharge of rainwater. Efforts should further be made to use maximum water from the rain water harvesting sources. If needed, capacity of the reservoir should be enhanced to meet the maximum water requirement.	Complied. Rain Water collection system for utilization of rainwater for cooling water make-up has been implemented at 12 various buildings of Oxygen Plant, Coke Oven, Power Plant, MRSS and Admin. Rainwater Harvesting through Recharge borewell is not feasible in the area as the water table is high being close to river and sea.

xiv	All the effluents should be treated and reused for dust suppression/green belt development. No effluent should be discharged and 'zero' discharge should be adopted.	Complying with Presently, treated effluent is partially discharged to the Amba River Estuary as per the permission obtained from MoEFCC – CRZ Division vide letter No F.No.11-7/2023-IA. III dated 5th April 2023.
		As per EC condition, ZLD shall be installed after completion and implementation of 100% projects from environmental Clearance. The permission is obtained for discharge of treated water approximately 615 m³/Hr.
xv	Full utilization of fly ash should be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash should be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding should be submitted to the Ministry's Regional Office at Bhopal.	Not Applicable. The Captive Power plants are by-product gas based, hence Fly Ash is not generated in the process.
xvi	Hazardous materials required during construction phase and in plant operations should be stored properly as per the regulations and reused/recycled as per the E(P)A Rules.	Complied. Hazardous wastes generated from the plant is stored in designated place and disposed to authorized recyclers as per the Hazardous Wastes (Management and Handling and transboundary) guidelines and MPCB consent conditions.
xvii	Vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.	Complied. The vehicle and construction machineries PUCs are checked at Main gate before entering the plant. Electric vehicles are used in the transport pool for internal transportation inside the plant.
xviii	Risk and Disaster Management Plan along with the mitigation measures should be prepared and implemented.	Complied. Risk & Disaster Management plan has been prepared and implemented through Dedicated department of Health and Safety.
xix	All the recommendations made in the Charter on Corporate Responsibility for	The recommendations made in the Charter on Corporate Responsibility for Environment

Environment Protection (CREP) for the Steel Plants should be implemented.

Protection (CREP) for the Steel Plants shall be complied as per the guidelines.

The recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the steel plants are implemented.

- Dry Gas Cleaning plant installed in Blast Furnace. The traditional wet scrubbing process has high pressure drop due which the energy recovery is low (14 MW) but the bag filter has low pressure drop thus has high energy to recovery (36 MW), by using Dry GCP process the energy recovery has increase approx. of 22 MW, which will reduce CO2 emissions by approx. 1.4 Lac.tCO2eq. This system saves specific water consumption.
- Installed Gas Holders (Coke Oven Gas and LD Gas) which helps the steady network flow for distribution of gas in constant pressure (Operating pressure 996 mm WC). Also it helps to proper utilization of waste gases. It saves CO2 and Energy.
- Coke oven plant Tar sludge / ETP sludge are reused in the Coking process.
- Blast Furnace TRT Energy recovery of top blast furnace gas is being done with power generation through TRT by using top pressure of BF gas.
- Coke Oven Plant Coke Dry Quenching systems (3 Nos) installed and recover the sensible heat of red hot coke, reduce energy consumption and pollution and improve the quality of coke. Each CDQ will reduce water consumption by 1920 m3/day and energy of 70 MW will be recovered along which will reduce the CO2 emissions by approx. 10.9 Lac.t CO2eq
- Steel Melting Shop (SMS), secondary dedusting system (Gas Cleaning Plants 4 Nos) has been installed to control fugitive

		 Coal Injection Plant for direct injection of pulverized coal in furnace has been implemented. Present rate of CDI in our Blast Furnace is 200 Kg/THM (average for the year 2022-23). BF Slag- 100% utilized in Cement plant. EAF slag- 100 % for construction activities for expansion projects by land filling in the low lying areas and is also being used for internal road making. Using EAF slag as aggregates for roads in National Highway (Concrete and asphalt roads) Cast House Fume extraction system inclusive of tap holes, runners, skimmers, ladle and charging points have been provided to control Fugitive emissions from Blast Furnace. Hence the condition has been complied.
xx	All the commitments made to the public during public hearing/public consultation should be satisfactorily implemented and adequate budget provision should be made accordingly.	Being Complied. Separate budget is maintained for implementing projects/ issues discussed during Public Hearing. CSR activities in various sectors are being done in the surrounding villages and a time bound action plan for various CSR activities have been submitted to MoEF&CC as per EAC recommendation of 2.5% of project cost. The project proponent has spent Rs 13.42 Crores for the year 2023-24 (April to March 2024). The above amount has been spent on Social Development- (Education & Training), Skill Development, Water and Sanitization, Agriculture, Rural Development, Health, Solid Wastes Management and Community Development.
xxi	All the permanent workers should be covered under ESI Scheme. The company should hive	Being Complied. As per the Factories Act, regular health check-up

	the provision for treatment of its workers at	has been done for workers and employees &
	the local Nursing Homes & Hospitals in case	records are maintained on regular basis.
	of emergency. Annual Medical Check-up on	Annual Medical Check-up conducted for medical
	some medical parameters like Blood test,	parameters like Blood test, Chest X-Ray, Eye test,
	Chest X-Ray, Eye test, Audiometry,	Audiometry, Spirometry etc.
	Spirometry etc. should be conducted	
	amongst the employees of the Company.	
B) Ge	neral Conditions	
i	The project authorities must strictly adhere	Complying with
	to the stipulations made by the Maharashtra	Consent to Establish and Consent to operate
	Pollution Control Board and the State	received from Maharashtra Pollution Control
	Government.	Board (MPCB).
		The compliance is regularly monitored by MPCB.
ii	No further expansion or modifications in the	Noted and Shall be complied.
	plant should be carried out without prior	
	approval of the Ministry of Environment,	
	Forests and Climate Change (MoEF&CC).	
iii	At least four ambient air quality monitoring	Complying with
	stations should be established in the	5 Nos. online Ambient Air Quality Monitoring
	downward direction as well as where	Station with consultation of MPCB & data
	maximum ground level concentration of	connected the same to MPCB & CPCB Website.
	PM10, PM2.5, S02 and NOx are anticipated in	Six monthly compliance including ambient air
	consultation with the SPCB. Data on ambient	quality is submitted to Regional Office at Nagpur.
	air quality and stack emission should be	quant, is commissed to higher an entire at his specific
	regularly submitted to this Ministry including	
	its Regional Office at Nagpur and the	
	SPCB/CPCB once in six months.	
iv	Industrial wastewater should be properly	Being Complied.
''		Waste water treatment facility is provided to
		treat the industrial effluent. Treated effluent is
	dated 19th May, 1993 and 313' December,	used in the coke slag quenching.
	1993 or as amended from time to time. The	used in the coke sidg quenering.
	treated wastewater should be utilized for	Treated Sewage from STP is used in plantation
	plantation purpose. The overall noise levels in and around the	and green belt development. Complied.
V		-
	plant area should be kept well within the	Noise control measures are implemented like
	standards (85 dBA) by providing noise control	acoustic hoods, silencers, enclosures etc. on all
	measures including acoustic hoods, silencers,	sources of noise generation.
	enclosures etc. on all sources of noise	
	generation. The ambient noise levels should	
	conform to the standards prescribed under	

	EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night-time).	
vi	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act. The company should develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Being Complied. As per the Factories Act, regular health checkups for workers and employees are carried out on regular basis. Being Complied. Rain Water collection system for utilization of rainwater for cooling water make-up has been implemented at 12 various buildings of Oxygen Plant, Coke Oven, Power Plant, MRSS and Admin. Rainwater Harvesting through Recharge borewell is not feasible in the area as the water table
viii	The project proponent should also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	is high being close to river and sea. Being Complied
ix	Requisite funds should be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forests and Climate Change (MoEF&CC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein should be submitted to the Regional Office of the Ministry at Nagpur. The funds so provided should not be diverted for any other purpose.	Being Complied. Rs 10 Crores have been spent as investment on Pollution Control System (Air, Water and Solid wastes).
х	A copy of clearance letter should be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local	The project proponent has submitted a copy of clearance letter to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local

	Body and the local NGO, if any, from whom	Body and the local NGO.
	suggestions/representations, if any, were	The planes of letter is also valed ded to the ICM/
	received while processing the proposal. The	The clearance letter is also uploaded to the JSW
	clearance letter should also be put on the	Steel web site.
	web site of the company by the proponent.	Hence the condition has been complied.
xi	The project proponent should upload the status of compliance of the stipulated environment clearance conditions, including	Complied. The project proponent has been uploading the status of compliance of the stipulated
	results of monitored data on their website and should update the same periodically. It should simultaneously be sent to the	environment clearance conditions, including results of monitoring data on JSW Steel website on a six monthly basis.
	Regional Office of the MOEFCC at Nagpur.	
	The respective Zonal Office of CPCB and the	The EC compliance report and Environmental
	SPCB. The criteria pollutant levels namely;	monitoring reports (for Air, Water, Solid Waste
	PM10, S02, NOx (ambient levels as well as	and Hazardous wastes) are submitted to
	stack emissions) or critical sectoral	MoEFCC, CPCB, and MPCB on six monthly basis.
	parameters, indicated for the projects should	
	be monitored and displayed at a convenient	
	location near the main gate of the company	The CEMS data and CAAQMS data are displayed
	in the public domain.	at the main gate.
xii	The project proponent should also submit six	The project proponent has been submitting six
	monthly reports on the status of the	monthly Environmental Clearance compliance
	compliance of the stipulated environmental	report and six monthly Environmental
	conditions including results of monitored	monitoring reports to Regional Office of
	data (both in hard copies as well as by e-mail)	MoEFCC, MPCB and CPCB.
	to the Regional Office of MOEFCC, the	
	respective Zonal Office of CPCB and the SPCB.	Hence the condition has been complied.
	The Regional Office of this Ministry at Nagpur	
	/ CPCB / SPCB should monitor the stipulated	
	conditions.	
xiii	The environmental statement for each	Environment Statement (Form-V) for 2024-25
	financial year ending 31st March in Form-V as	submitted to MPCB, Compliance of
	is mandated to be submitted by the project	Environmental Clearance is submitted to
	proponent to the concerned State Pollution	Regional Office of the MOEF&CC at Nagpur by e-
	Control Board as prescribed under the	mail.
	Environment (Protection) Rules, 1986, as	
	amended subsequently, should also be put on	Hence the condition has been complied.
	the website of the company along with the	·
	status of compliance of environmental	
1	conditions and should also be sent to the	

	respective Regional Office of the MOEFCC at	
	Nagpur by e-mail.	
xiv	The Project Proponent should inform the	Complied.
	public that the project has been accorded	The project proponent has Published the
	environmental clearance by the Ministry and	information of receipt of Environment clearance
	copies of the clearance letter are available	from MoEFCC in newspaper as per guidelines
	with the SPCB and may also be seen at	provided in Local newspaper Dainik Krushiwal,
	Website of the Ministry of Environment,	Raigad Times, Ramprahar dated August 30, 2015
	Forests and Climate Change (MoEF&CC) at	and English newspaper Indian Express dated
	http:/envfor.nic.in. This should be advertised	September 01, 2015.
	within seven days from the date of issue of	
	the clearance letter, at least in two local	
	newspapers that are widely circulated in the	
	region of which one should be in the	
	vernacular language of the locality concerned	
	and a copy of the same should be forwarded	
	to the Regional office at Nagpur.	
ΧV	Project authorities should inform the	Complied.
	Regional Office as well as the Ministry, the	All the information of stages of development of
	date of financial closure and final approval of	projects are submitted to regional Office,
	the project by the concerned authorities and	MOEF&CC, Nagpur along with six monthly
	the date of commencing the land	compliance report.
	development work.	
14	M/s. Dolvi Coke Projects Ltd shall abide by all	JSW Shall comply the Conditions as per the
	the commitments and recommendations	commitments made during Public Hearing.
	made in the EIA /EMP report and that during	
	presentation to the EAC; commitments made	
	during the Public Hearing held on 28/01/2014	
4.5	for integrated steel plant	
15	The ministry may revoke or suspend the	Noted
	clearance, if implementation of any of the	
1.0	above conditions is not satisfactory.	Natad
16	The Ministry reserves the right to stipulate	Noted
	additional conditions if found necessary. The	
	Company in a time bound manner shall	
17	implement these conditions.	The project proposant has confirmed that as year
17	The PP shall ensure no change in the	The project proponent has confirmed that as per the amendment in the EC dated 22 November
	pollution load; and no conflict in sharing in	
	common facilities in day to day operations.	2021, JSW Steel shall not change the pollution
		load.

18	All the liabilities regarding environmental	The project proponent has confirmed that as per
	issues of Coke Ovens including by-product	the amendment in the EC dated 22 November
	plant will be the responsibility of the new	2021, JSW Steel Ltd shall comply to all the
	company i.e. Dolvi Coke Projects Limited	Environmental issues of Coke Oven plant II
19	The above conditions shall be enforced, inter-	The project proponent has confirmed that as per
	alia under the provisions of the Water	the amendment in the EC dated 22 November
	(Prevention and Control of Pollution) Act	2021, JSW Steel Ltd shall regularly be complying
	1974, the Air (Prevention and Control of	for
	Pollution) Act 1981, the Environment	The water (Prevention& Control of Pollution)
	(Protection) Act 1986, Hazardous Wastes	Act 1974,
	(Management, Handling and Transboundary	The Air (Prevention and Control of Pollution)
	Movement) Rules 2008 and the Public	Act, 1981
	(Insurance) Liability Act 1991 along with their	The Environment (Protection) Act 1986
	amendments and Rules.	The Public Liability Insurance Act, 1991 along
		with their amendments and rules.
		Hence the condition has been complied.
20	This Environmental Clearance is partial	The project proponent has acknowledged the
	modification of the J-11011/76/2013-IA II (I)	same.
	dated 25th August 2015.	
21	Any appeal against this EC shall lie with the	The project proponent has acknowledged it and
	National Green Tribunal, if preferred within a	shall compile with the same.
	period of 30 days as prescribed under section	
	16 of the National Green tribunal Act 2010.	