



Vijayanagar Works:

P.O. Vidyanagar - 583 275, Dist. Ballari, Karnataka, India.

CIN. : L27102MH1994PLC152925 Phone : +91 8395 250 120-30 Fax : +91 8395 250 132/142

Website: www.jsw.in Date: 10-05-2025

JSW/ENV/MoEFCC/EC-COMPL/F016/052025/ 4004

To,
The Addl. Principal Chief Conservator of Forest(C)
Ministry of Environment, Forest & Climate Change
Regional Office (South Zone), 4th floor,
E&F wings, Kendriya Sadan, 17th Main Road,
2nd block Koramanagala, Bangaluru-560034

Sub: Submission of reply w.r.t. review of Half Yearly EC Compliance report of Our Integrated Steel Plant for the period of Oct-2024 to Mar-2025 – reg

Ref:

 Split of existing EC of JSW Steel Ltd, Vijayanagar works of 18 MTPA Steel plant, 1490 MW CPP along with 2.2 MTPA Slag cement between JSWSL, JVML and JSWCL, With a final configuration of 13 MTPA Steel, 1490 MW of CPP and 0.2 MTPA Slag cement unit will remain for JSW Steel Limited, Transfer of 5 MTPA Steel to JVML and Transfer of 2 MTPA Slag Grinding Unit to Existing 4 MTPA Slag cement plant of JSWCL at Vijayanagar works, Toranagallu, Ballari, Karnataka.

Dear Sir/Madam,

With respect to the subjected matter, we are herewith submitting the Half Yearly EC Compliance report for our integrated Steel Plant, JSW Steel Limited, Vijayanagar Works located at Toranagallu, Dist. Ballari, Karnataka. For the period of Oct - 2024 to Mar – 2025.

Further, we would like to inform you that, we have uploaded the soft copy of EC Compliance report on the Parivesh 2.0 Portal. This is for your kind information and record please.

Thanking you,

Yours Faithfully

Authorized Signatory
For M/s JSW Steel Ltd.

Dr. Satish Mishra

Associate Vice President

Environment & Sustainability Department

Moranagallu Bellary Dist

CC:

1. The Member Secretary, IA.II(I) Ministry of Environment and Forests, IA Division, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi-110003

2. The Member Secretary, KSPCB, Parisara Bhavan,1st to 5th floor,#49,Chruch Street, Bengaluru

3. Regional Director, CPCB, A-Block, Nisarga Bhavan 1st & 2nd Floor, 7th D Cross, Thimmaiah Road, Shivaji Nagar, Bengaluru – 560079.

4. The Environmental Officer, KSPCB, Regional Office,4th Main, Kuvempunagara, Ballari - 583104

Office Copy



Regd. Office: JSW Centre Bandra Kurla Complex, Branch (East), Mumbai - 400 051

Phone :+91 22 4286 1000 Fax :+91 22 4286 3000



Split of existing EC of JSW Steel Ltd, Vijayanagar works of 18 MTPA Steel plant, 1490 MW CPP along with 2.2 MTPA Slag cement between JSWSL, JVML and JSWCL, With a final configuration of 13 MTPA Steel, 1490 MW of CPP and 0.2 MTPA Slag cement unit will remain for JSW Steel Limited, Transfer of 5 MTPA Steel to JVML and Transfer of 2 MTPA Slag Grinding Unit to Existing 4 MTPA Slag cement plant of JSWCL at Vijayanagar works, Toranagallu, Ballari, Karnataka

EC Identification No. EC24A1001KA5580178S and File No. J-11011/489/2009-IA.II (I) Dated 25/07/2024

Compliance Period: October 2024 to March 2025

S No	Conditions	Compliance
Α.	Specific Conditions	
Ť.	Green belt shall be developed in 33% (870 ha) of the revised plant area (2630.66 ha) all along the periphery of the project site by September 2024 with a tree density of 2500 trees per hectare.	Complied Till date JSW Steel Limited has planted 22.91 lakhs plants over 871 ha area to cover 33.65 % of area under green belt with the tree density of 2500 trees per hectare. Plantation details and the photographs are enclosed as Annexure -01
n.	Project proponent shall install covered sheds for coal storage in an area of 32325 sqm by 30-06-2024.	Being complied In addition to this, wind curtains of 3.5 km are being provided all around the coal yards and raw material storage area.
	84 km long pipe conveyor shall be installed by 31/03/2028 as committed.	Being complied At present, we have Installed 37.5 KM length Pipe conveyer with 25 MTPA capacity which is operational.
		 Installation of Remaining Pipe Conveyor length will be completed by 31.03.2028.

	Ambient air quality shall be improved by	Be	eing cor	nplied	
iv.	of by product gas in place of coal and				air quality, we have implemented
			-	ontrol measures	
	covered shed. Noise levels shall be controlled by decrease in truck traffic after completion of the pipe conveyor.	•	transp installe	ortation and re- ed 37.5 KM lengtl is operational. D	itive dust emission during road duce the truck movement, we have a Pipe conveyer with 25 MTPA capacity ue to this the truck traffic has reduced
		•	being firing of for po	used as fuel in tl of coke oven batt	F gas, Corex Gas, Coke oven gases are ne process (Blast furnace stove, under ceries, reheatingfurnace etc.) and also thereby reducing the significant coal
V.	Environment Clearance for the new township project shall be obtained from the concerned competent authority.	No	ted		
	PP shall ensure Control of rooftop emissions	Be	ing con	plied	
vi.	from SMS 1 & 2 and Install primary De-dusting	SIV	1S-1		
	system in SMS 2 by 31.03.2025.	•			on of Primary & Secondary de-dusting
			syster /IS-2	n is completed ar	nd operational.
				S-2 Augmentatio	n of Primary & Secondary de-dusting
				n is completed ar	-
		•	In add	lition to this, Mil	I scale briquettes are being used as a
				nt instead of Iron cant reduction in	ore fines in SMS-1 $\&$ 2 Convertors for emissions.
	PP shall ensure regular monitoring and	Co	mplied		
vii.	maintenance of Junction houses in raw material handling area to control fugitive emissions.			we have provide	dust emission at raw material handling ed efficient bag filters at all Junction
		•	house		of the bag filters installed at junction to control the fugitive dust emission ortation.
viii	Desulfurization of Coke Oven Gas, use of low	Cor	mplied		
	Sulphur coal, Flue Gas Desulphurization in captive power plant shall be adopted to control SO2 emissions.		impler		ke oven gas (using ammonia liquor) oven 3 & 4. The same system is
					te gases like BF gas, BOF gas,COREX gas
			etc as	a fuel which has red to fossil fuel	less sulphur content of 0.5 to 0.6% as s.
		•		gas is being used 2 emission.	d in the captive power plant to reduce
X	Project proponent shall install 6 Continuous	Cor	nplied	72 EITHSSIOH.	
	Ambient Air Quality Monitoring Stations (CAAQMS).	•	We ha		nos. of CAAQMS stations around JSW of the same are as under
			SN	Station	Location
		ļ	1	CAAQMS-1	Vidyanagar Township
			2	CAAQMS-2	Vaddu Village
			3	CAAQMS-3	Shankar Hill Township
			4	CAAQMS-4	10 MTPA Gate
			5 6	CAAQMS-5	Sultanpur VV Nagar Township
				CAAQMS-6	VV Nagar Township AQMS Station is being connected with
			the KS	PCB & CPCB serve	_
х.	Following Cleaner technologies shall be adopte	d p	y PP as	committed	

	a. MEROS in Sinter plants to control emissions.	Being complied We have installed the MEROS at Sinter Plants 4
		We have done installation of High efficiency Bag Filter at SP
		& SP2.
2		The state of the s
	b. Sinter cooler waste heat recovery to	Photographs of the MEROS Complied
	generate power.	 We have installed waste hear recovery units at SP-2, SP-3 and
	generate power,	SP 4 to generate power from waste heat.
	c. TRT and Stove waste gas heat recovery	Complied
	system in BF.	We have already provided TRT and Stove waste gas hea
		recovery system in BF 1 (4MW), BF3 (12.4MW), BF 4 (12.4MW)
	d. Secondary Fume Extraction system in	Complied
	BOF with dog houses.	We have installed Secondary de-dusting system in LHF of SMS
		1 & 2.
	e. Pipe conveyor to transport iron ore from various mines.	Being complied
	TIOTT Various ITIMes.	 Installation of 37.5 km length of Pipe conveyor is completed and it is operational.
		 Installation of Remaining Pipe Conveyor length will be
		completed by 31.03.2028.
	f. 3.5 km wind curtains incoal yard.	Complied
	2.0	We have provided wind curtain in coal yard and Iron ore yards
		of length 3.5 km.
	WIIDD (705) . I	Photographs of the Wind curtain Provided at the Coal Storage Yard
-		- 11 1
	g. WHRB for ZPF waste heat recovery.	Complied.
	g. WHKB for ZPF waste neat recovery.	• We have provided ZPF & EAF in SMS-3 with WHRB for
		We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat.
	h. Installation of Zero Power Furnace.	We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat. Complied
		We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat.
		 We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat. Complied Zero Power Furnace of 1.5 MTPA is installed at SMS -3
	h. Installation of Zero Power Furnace.	 We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat. Complied Zero Power Furnace of 1.5 MTPA is installed at SMS -3 which is in operation.
	 h. Installation of Zero Power Furnace. i. CO₂ injection for pH control in SMS. j. Single oven pressure control in Coke 	 We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat. Complied Zero Power Furnace of 1.5 MTPA is installed at SMS -3 which is in operation. Complied. We have installed CO₂ injection thickeners system in SMS-1
	h. Installation of Zero Power Furnace. i. CO₂ injection for pH control in SMS. j. Single oven pressure control in Coke Ovens to control Charging Emissions along	 We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat. Complied Zero Power Furnace of 1.5 MTPA is installed at SMS -3 which is in operation. Complied. We have installed CO₂ injection thickeners system in SMS-1 & 2 Being complied De-dusting cars have been provided in all Coke Over
	 h. Installation of Zero Power Furnace. i. CO₂ injection for pH control in SMS. j. Single oven pressure control in Coke 	 We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat. Complied Zero Power Furnace of 1.5 MTPA is installed at SMS -3 which is in operation. Complied. We have installed CO₂ injection thickeners system in SMS-1 & 2 Being complied De-dusting cars have been provided in all Coke Over batteries to control charging emissions.
	h. Installation of Zero Power Furnace. i. CO₂ injection for pH control in SMS. j. Single oven pressure control in Coke Ovens to control Charging Emissions along	 We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat. Complied Zero Power Furnace of 1.5 MTPA is installed at SMS -3 which is in operation. Complied. We have installed CO₂ injection thickeners system in SMS-1 & 2 Being complied De-dusting cars have been provided in all Coke Oven batteries to control charging emissions. Single oven pressure control system is provided in two
	h. Installation of Zero Power Furnace. i. CO₂ injection for pH control in SMS. j. Single oven pressure control in Coke Ovens to control Charging Emissions along	 We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat. Complied Zero Power Furnace of 1.5 MTPA is installed at SMS -3 which is in operation. Complied. We have installed CO₂ injection thickeners system in SMS-1 & 2 Being complied De-dusting cars have been provided in all Coke Oven batteries to control charging emissions.

		Coke oven - 05 is equipped with HPALA (High pressure
		Ammonia liquor Aspiration system with CGT Charging gas transfer car).
	100% solid waste utilization by means of	Photograph of CGT & SOPRECO
хi	following state-of-the-art technologies for recovery and recycling various wastes generated within the plant premises shall be adopted.	We are utilizing 100 % solid waste in micro pelleting, Mill scal briquetting, waste to wealth plant, slag to sand / aggregat plant.
	i. Slag sand plant for surplus granulated BF slag.	 Complied Granulated BF slag is being sold to the Cement Manufacturin units. We have installed two no of Slag to Sand unit of 1 x 40 TPH 8 2 x 125 TPH capacity to utilized surplus granulated slag.
	:: N4:	Photographs of the Slag Sand Plant
	ii. Micro-pellet plant (2050 TPD) for the dust & sludge collected from air and water pollution control equipment.	 We have installed 2050 TPD Micro Pellet Plant to utilize th sludge and dust collected from air and water pollution control equipment, which is operational.



Photographs of the Micro-pellets produced from MPP

ii. Mill scale briquetting plant (600 TPD) for high Fe containing sludge & dust from Mills

Complied

We have installed & operating 600 TPD Capacity Mill Scale Briquetting (MSB) plant for utilization of high iron containing dust & sludge from mills.





Photographs of Mill scale briquetting plant and Briquettes produced from the plant

iii. Waste-to-wealth plant (600 TPD) for the Complied Dust & sludge of low Fe values through beneficiation

We have installed waste to Wealth (WTW) plant of 600 TPD capacity for the utilization of dust, sludge of low iron value.



Photographs of the Waste to Wealth Plant

v. Steam Box technology for SMS slag ageing to make it suitable for use as aggregate in road making.

Steam Box Technology is an inline slag weathering process and requires large space. Use of a steam box would still require additional external weathering to lower the expansion for use as aggregates. Here at JSW Vijayanagar Works, normal air-cooled steel slag is subjected to an in-house developed sand-making process, which does not require additional weathering and converts the slag directly into sand - a usable product at a lower cost and space. Hence this technology is preferred over the Steam Box Technology.

	vi. Slag sand plant (17000 TPD) is proposed for converting steel slag to sand for sale.	 Being complied 100% utilization of Steel Slag is being achieved at present be using it in Steel process and construction of bund of Slimpond. A 100 TPD LD slag sand plant installed on trial basis. Enhancement of capacity to 17,000 TPD, is Completed, trained commissioning of the plant is in progress.
		Photographs of the Slag Sand Plant
	vii. LHF slag briquetting plant (300 TPD) for production of briquettes to replace imported synthetic slag.	 Complied We have commissioned & operating 300 TPD LHF sla Briquetting plant for briquette manufacturing.
	viii. Powder steel slag fines to use in land reclamation and soil conditioning.	Complied. The powdered steel slag generated from the BOF at steel t slag plant is being sold to cement making unit.
	ix. Carbon recovery plant-Carbon recovery shall be done from BF dust, BF GCP slurry and Corex Furnace GCP slurry recycled back into utilization.	We have constructed & operating 500 TPD carbon recover plant. The product of the carbon recovery plant is being used in pellet plant for reutilization.
xii.	The recommendations of the approved integrated Site-Specific Wild life Conservation Plan/ Wildlife Management Plan for revising schedule-I species and the plan covering JSW complex area and shall implement in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.	 Being complied JSW Steel has already been contributed towards the wild lift management. The status report is regularly sent to RO MoEF&CC along wit six monthly EC compliance report. We have submitted the updated wild life management plan to DCF Ballari office on 16.02.2024 which is under approval. Action plant of implementing the Integrated Site Specific Wildlife Conservation Plan is enclosed as Annexure 02
В	General Conditions	
L	i. The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/ Subordinate legislations, etc., as may be applicable to	Noted and agreed
	the project	

i. The project proponent shall install 24x7 • Complied We have already installed 6 no of Continuous continuous emission monitoring system at Ambient Air Quality Monitoring Stations (CAAQMS) around the process stacks to monitor stack emission JSW Steel Complex for the monitoring of the AAQ parameters. as well as 06 Nos. Continuous Ambient Air • Calibration of the CAQMS & CEMS analyzers is being done on Quality Station (CAAQS) for monitoring quarterly basis as per the supplier specification. AAQ parameters with respect to standards • Details of the CAQMS are as under prescribed in Environment (Protection) Rules 1986 as amended from time to time. Station Location The CEMS and CAAQMS shall be CAAQMS-1 Vidyanagar Township 1 connected to SPCB and CPCB online 2 CAAQMS-2 Vaddu Village servers and calibrate these systems from 3 CAAQMS-3 Shankar Hill Township time to time according to equipment 4 CAAQMS-4 10 MTPA Gate supplier specification through 5 CAAQMS-5 Sultanpur recognized under Environment CAAQMS-6 VV Nagar Township (Protection) Act, 1986 or NABL accredited • For the continuous Emission monitoring, we have installed 68 laboratories. no's CEMS at all major stacks. **Parameters** No of CEMS PM 68 Nos 2 SO₂ 13 Nos 3 NOx 13 Nos The data of the CAAQMS & CEMS is being transferred to CPCB & KSPCB servers. ii. The project proponent shall monitor Complied fugitive emissions in the plant premises at Fugitive emissions are being regularly monitored through least once in every quarterly through NABL accredited laboratory on monthly basis and report is laboratories recognized under being submitted every month to KSPCB. Environment (Protection) Act. 1986 or The Fugitive emission monitoring data during the compliance NABL accredited laboratories period is enclosed as Annexure - 03. iii. Sampling facility at process stacks and Complied at quenching towers shall be provided as • The sampling facility are provided at process stacks and CPCB guidelines per for manual quenching stacks as per CPCB guidelines monitoring of emissions. iv. Appropriate Air Pollution Control (APC) Complied system shall be provided for allthe dust We have installed efficient air pollution control (APC) generating points including fugitive dust equipment for all dust generating points, the summary of APC from all vulnerable sources, so as to as follows comply prescribed stack emission and Bag filter 281 no fugitive emission standards. Scrubber/Cyclone 30 no 16 no Dust suppression system 180 no 3.5 km length at iron ore and Wind curtain Coal storage yard. We maintaining the stack emission & fugitive emissions within standard limits. We are submitting the online stack emission monitoring data at KSPCB & CPCB server. In addition to this, we are monitoring manual stack emission on monthly basis. Stack emission monitoring data for the compliance period is enclosed as Annexure -03. v. The project proponent shall provide Complied leakage detection and mechanized bag Bag leakage detection system provided and PLC based bag cleaning facilities for better maintenance cleaning system are installed. of bags. Regular maintenance of these bag filters is being done to

assure the emission norms.

vi. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, Shop floors, roofs, regularly.	 We have deployed 10 Nos of vacuum cleaners cum Road sweeping machine for road cleaning and shop floor cleaning.
vii. Recycle and reuse iron ore fines, Coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration.	 Complied Iron ore fines, Coal and coke fines, lime fines and such other fines are being used in Micro pellet Plant for pellet making, Mill scale briquetting Plant for briquette making. These micro pallets and briquettes are being reutilized in the steel manufacturing process.
viii. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	Complied Tarpaulin covered trucks are provided to transport the raw material.
ix. Facilities for spillage collection shall be provided for coal and coke on WHARF of coke oven batteries (Chain conveyors. Land based industrial vacuum cleaning facility).	 Complied Efficient spillage collection and prevention systems have been provided at WHARF of Coke oven batteries (Chain Conveyors, Land based industrial cleaning facility). Monitoring of these control measure is being done on regular basis.
x. Land-based APC system shall be installed to control coke pushing emissions.	We have provided 2 no ground de-dusting system at Coke ovens.
xi. Monitor CO, HC and 02 in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.	Complied ■ The flue gas of coke oven batteries is being monitored using portable flue gas analyzer for CO, SO₂, NO₂, HC, O₂ etc
provided in place of vapor compression system for cooling of coke oven gas in case of recovery type coke ovens.	• Vapor absorption systems are provided in coke oven 3, 4 & 5.
spraying shall be provided on the raw material stock piles.	About 3.5km length wind curtain wall in iron ore and Coal Storage yard is provided We have provided the Chemical spraying system at Raw material stock piles. Crust
	stationery vacuum cleaners shall be provided to clean plant roads, Shop floors, roofs, regularly. vii. Recycle and reuse iron ore fines, Coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration. viii. The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin. ix. Facilities for spillage collection shall be provided for coal and coke on WHARF of coke oven batteries (Chain conveyors. Land based industrial vacuum cleaning facility). x. Land-based APC system shall be installed to control coke pushing emissions. xi. Monitor CO, HC and 02 in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber. xii. Vapor absorption system shall be provided in place of vapor compression system for cooling of coke oven gas in case of recovery type coke ovens. xiii. Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.

III. Water quality monitoring and preservation i. The project proponent shall install 24x7 Complied continuous effluent monitoring system with respect to standards prescribed in We have installed 6 no of online effluent quality monitoring Environment Protection) Rules 1986 vide systems for monitoring pH, conductivity and flow. G.S.R 277 (E) dated 31" March 2012 The effluent quality monitoring stations are connected to (Integrated iron & Steel); G.S.R 414 (E) CPCB & KSPCB server. dated 30th May 2008 (Sponge Iron) as The equipments are being calibrated on quarterly basis as amended from time to time; S.U. 3305 (E) per manufacturer recommendations. dated 7th December 2015 (Thermal Power Plants) asamended from time to time and connected to SPCB and CPCB online servers and calibrate these system front time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act. 1986or NABL accredited laboratories. ii. The project proponent shall monitor Complied regularly ground water quality at least The environmental quality of ground water is monitored twice a year (pre-and post-monsoon) at through MoEF&CC accredited laboratory and reports are sufficient numbers οf submitted on monthly basis to the KSPCB. piezometers/sampling wells in the plant 2 numbers of piezometers have been installed for the and adjacent areas through labs continuous ground water level monitoring and 14 Water recognized under Environment meters for flow measurement. (Protection) Act. 1986 and NABL accredited laboratories. iii. The project proponent shall provide the Complied ETP for coke oven and by-product to meet We have provided Zero liquid Discharge (ZLD) Effluent the standards prescribed in G.S.R 277 (E) treatment plant (BOD Plant) with MEE for the complete dated 31st March 2012 (Integrated iron & utilization of the Coke oven effluent. Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time: S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time; iv. Sewage Treatment Plant shall be Complied We have provided 5 (Five) nos, of Sewage treatment plant for provided for treatment of domestic the treatment of the domestic sewage generated from the wastewater to meet the prescribed Plant and townships. Details of the sewage treatment plant standards. with the capacity is as under Capacity STP Location Technology Ν (KLD) 1 Hill Side Township 1560 MBR Technology Shankar Hill 3000 MBR Technology Township Valley Sunrise 120 MBR Technology Township Vidyanagar Township 1500 MBR Technology including Sports 1000 Reed Bed Technology Complex & Lake view 400 MBR Technology Township Vijaya Vitthal Nagar -1200 SBR Technology

We are submitting reports of the same to KSPCB Regularly.

	v. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Garland drains and collection pits have been provided for each		
	vi. Tyre washing facilities shall be maintained at the entrance of the plant gates.	Complied Tyre washing facilities have been provided at the entrance.		
	vii. Treated water from ETP of COBP shall not be used for coke quenching.	Complied • We have provided the complete ZLD system for coke oven 3,4 &5		
		Photographs of the ZLD unit installed at Coke Oven		
	viii. Water meters shall be provided at the inlet to all unit processes in the steel plants.	Complied We have provided water meters at the inlet to all unit processes in the steel plant.		
IV۵	Noise monitoring and prevention			
	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six- monthly Compliance report.	Complied The noise levels are being monitored on monthly basis and reports are being submitted to the KSPCB on monthly basis. The noise monitoring report are being submitted to the MoEFCC Regional office along with six month compliance report regularly. The Ambient Noise Monitoring data for the compliance period is Enclosed as Annexure 03		
v.	Energy Conservation measures			
	i. Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.	Torpedo ladles are being used for hot transfer of the hot metal from the Blast Furnace to the BOF.		
	ii. Restrict Gas flaring to < 1%.	Complied • We have maintained the gas flaring less than 1%		
	iii. Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights. Parking around project area and maintain the same regularly;	Complied We have installed 225 MW solar power plant at Rajapura & Thimmalapura village In addition to this 70 KW roof top solar plant is provided at Sanjeevani Hospital.		
	iv. Provide LED lights in their offices and residential areas.	Complied ◆ We have installed LED lights in offices, work areas and colonies		
	v. Ensure installation of regenerative/ recuperative type burners on all reheating furnaces.	Complied Recuperative type burners are provided in all the reheating furnaces		

 i. Oil Collection pits shall be provided in cellars to collect and reuse/recycle spilled of Oil collection trays shall be provided und 	We have provided Oil collection pits at Mills area and in CRM
coils on saddles in cold rolled coil storagarea. ii. Kitchen waste shall be composted converted to biogas for further use	
i. The project proponent shall prepare GH emissions inventory to the plant and sha submit the programme for reduction of the same including carbon sequestration betrees. i. Emergency preparedness plan based on the Hazard identification and Risk Assessment.	 We have prepared the GHG emission inventory of the plant which is being monitored and reviewed by top management on regular basis. We have target to reduce the specific CO₂ emission levels by 31% of emission by year 2030 from present 2.49 TCo2/tcs level. Complied. We have prepared the onsite emergency and Disaster
HIRA) and Disaster Management Plan shabe implemented ii. The project proponent shall carry out hea	being approved by the Karnataka State Dept. of Factories & Boilers. • Further periodic mock drills are being conducted on regular basis for the identified emergencies. t Complied.
high temperature work zone and provid Personal Protection Equipment (PPE) as pethe norms.	The following measures are taken in heat zones to minimise the exposure of heat to the workers:- • Workers are provided with PPE kits i.e, Jackets Helmets, Masks, Gloves, Safety Shoes, earplugs etc. • Proper ventilation is provided at Heat Zones as per Factories act for disseminating of heat. • Drinking water availability is ensured. • Provided cooling chambers fitted with AC for cooling the body temperature. • Expose to heat areas is restricted to short time, and automation is adopted wherever possible. • Periodical health checkup of workers is being carried out as per the factory acts and record is being maintained at occupational Health Care Centre. • Safety officers will constantly surveillance and monitoring the work place. • Workshops are conducted regarding safety at work place and about health.
workers shall be done on a regular basis and records maintained.	•
Environment Management	

	i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22- 65/2017-IA. III dated 30/09/2020. iii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus and infringements/deviation/violation of the environmental / forest / wildlife norms/conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and/ or shareholder's / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of sixmonthly report.	CSR activities are being carried out through JSW foundation in 29 villages of Bellary district. CSR activities cover health, education, woman empowerment, sanitation, sports, infrastructure, skill development etc. Complied We have implemented and operating international standard for environment i.e ISO 14001 Environmental Management System. JSW Steel limited is ISO14001, 9001, 50001 and ISO 45001
	iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of' senior Executive, who will directly to the head of the organization.	We have dedicated environmental management department with the qualified staff at Vijayanagar Works and Company Head office Level. At Vijayanagar, 21 number of professionals reporting to Associate Vice President for operation of environmental management.
IX	Miscellaneous	
	i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently	Newspaper advertisement for grant of EC has been published in Kannada Nudi & The New Indian Express in Kannada and English language respectively. Copy of the New paper cutting enclosed as Annexure 05 The copy of EC has been uploaded on JSW Website which can be access on: https://www.jsw.in/investors/steel/jsw-steel-investor-information-environmental-clearances
	clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	• We have submitted the EC copy to Panchayat offices in stipulated time.
	iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website	 We have uploaded the Half yearly EC Compliance status report including the monitoring data on the JSW website.

and update the same on Half-yearly basis.

iv. The project proponent shall m criteria pollutants level namely: P NOx (ambient levels as well emissions) or critical sectoral p	 M10, SO2, as stack arameters, The online Stack Emission, effluent quality and Ambient
indicated for the projects and c same at a convenient location for to the public and put on the website of the compan	disclosure at 10 MT gate & website which is available for the public.
v. The project proponent shall s monthly reports on the statu compliance of the stipulated envi conditions on the website of the Environment, Forest and Climate environment clearance portal.	 We have submitted the Half yearly EC Compliance report Parivesh portal. Last EC Compliance Report for the period of April 24 to September 2015
vi. The project proponent shall s	ubmit the Complied
environmental statement for each year in Form-V to the concer Pollution Control Board as prescri	• The environment statement in Form V is submitted to KSPO med State MoEF&CC regularly and also displayed in website.
the Environment (Protection) Rule amended subsequently and pu website of the company.	State Pollution Control Board (KSPCB) on 30.09.2024.
vii. The project proponent shall in Regional Office as well as the Mindate of financial closure and final at the project by the concerned a commencing the land development and start of production operation project.	nistry, the pproval of uthorities, ent work
viii. The project proponent shall a the commitments and recomm made in the EIA/EMP report, cormade during Public Hearing and during their presentation to the Appraisal Committee.	endations nmitment also that le Expert
ix. No further expansion or modifi the plant shall be carried out with approval of the Ministry of Env Forests and Climate Change (Mo E	out prior No further Expansion and modification will be done without prior approval from the MoEF&CC and State Pollution contraction. Board.
x. Concealing factual data or subr false/fabricated data may r revocation of this environmental and attract action under the pro Environment (Protection) Act, 1980	esult in clearance visions of 5.
xi. The Ministry may revoke or sus clearance, it implementation of ar above conditions is not satisfac	y of the Noted & agreed tory.
xii. The Ministry reserves the stipulate additional conditions necessary. The Company in a time manner shall implement these con	if found pound
xiii. The RO of this Ministry shall compliance of the stipulated condition project authorities should ext cooperation to the officer (s) of the Office by furnishing the requisinformation / monitoring reports.	ions. The We will provide the cooperation and support to the Officers end full Regional officer as and when required.

×

xiv. Any appeal against this EC shall lie with	Noted & agreed
the National Green Tribunal, if preferred.	
within a period of 30 days as prescribed	
under Section 16 of the National Green	
Tribunal Act, 2010.	

Additional Specific Condition:

\$N	Additional Specific Condition:	Compliance		
i.	The PP shall strictly comply with the conditions as	Noted and Complied		
12	per the submitted action plan and within the	· ·		
	timeframe as committed with respect to the			
	partially/ non-complied conditions as reported by			
	IRO. No further extension of time period with			
	respect to the non-complied specific conditions will			
	be granted.			
Ii.	M/s. JSWSL, being principal lessor shall be held	Noted and Complied		
	responsible for compliance of all the conditions stipulated in EC dated 29.11.2021.	 JSWSL being a principal lessor commits that All compliance are compiled/ being complied of all the conditions stipulated in EC dated 29.11.2021. 		
iii.	The PP shall ensure to operate the airport facility	Being Complied		
13.142	only after valid and requisite permissions required	• JSWSL is operating the airport with all the necessary		
	to operate the same.	clearances & permissions from the concerned		
	to operate the sume.	regulatory authorities.		
		JSWSL has applied for Environmental Clearance of		
		Jindal Vijayanagar Airport for the expansion for which		
		TOR has been obtained with TOR Number:		
		TO24B2902KA5716131N and File No.: SEIAA 22 IND		
		2024; Dated 30.01.2025.		
îv.	The PP shall install the requisite number of CAAQMS	Complied		
	linked with CPCB server at designated places.	We have installed six nos. of CAAQMS stations around		
	miked with or ob server de designated places.	JSW Steel Complex. Details of the same are as under		
		SN Station Location		
		1 CAAQMS-1 Vidyanagar Township		
		2 CAAQMS-2 Vaddu Village		
		3 CAAQMS-3 Shankar Hill Township		
	(0)	4 CAAQMS-4 10 MTPA Gate		
		5 CAAQMS-5 Sultanpur		
		6 CAAQMS-6 VV Nagar Township		
		The data of the all CAAQMS Station is being connected		
		with the KSPCB & CPCB server.		
٧,	The PP shall ensure that all the subsidiaries within	Complied		
V	JSW Complex shall have relevant permissions	·		
	related to land,EC/FC/CTE/CTO and associated	All the necessary land, EC/FC/CFE/CFO of JSWSL and other subsidiary are available with separate entry and		
	permissions required to operate such facilities	exit gates.		
	along with separate entry/exit gates.	exit gates.		
Vi.	The PP shall ensure that there shall be sign boards	Complied		
V-1.+::	at prominent locations covering name, capacity and	• Signboards have been installed at entry of the units		
	area of the operating units within the JSW Complex	operating units within the JSW Complex covering		
	along with EC/CFO details.	name, capacity, area, CFE and CFO details.		
	along with Edy of O details.	 Photographs of the same are Enclosed as Annexure-06 		
vii	The PP shall comply with the condition for	Complied		
	development and maintenance of greenbelt in at	Till date JSW Steel Limited has planted 22.91 lakhs		
20	least 33% area of the JSW complex as principal	plants over 871 ha area to cover 33.65 % of area under		
		green belt with the tree density of 2500 trees per		
	lessor.	hectare.		
VIII	The PD shall widely publicize the executive summan.			
viii	The PP shall widely publicize the executive summary of the EC split proposal and publish the split ECs in	Complied		
**	of the EC split proposal and publish the split ECs in			
	local newspapers.			

ix.	The PP shall strictly comply with the directions of State Forest Department, obtain approval and implement the Integrated Site Specific Wildlife	Newspaper advertisement for grant of EC has been published in Kannada Nudi & The New Indian Express in Kannada and English language respectively Copy of New paper Cutting enclosed as Annexure 05. Being Complied We have submitted the ISSWLCP to DCF, Ballari vide
	Conservation plan (ISSWLCP) as per the defined timelines.	letter Ref. No. JSWSL/ VJNR/2023-24/01, Dated 16.02.2024. • Copy of the Action plant is attached as Annexure 02
x.	All the three entities i.e. JSWSL, JVML and JSWCL shall undertake Village Adoption programme as committed.	 10 Villages of Core Zone have been adopted by JSWSL, JVML and JSWCL - Nagalapura, Anathapura, Chikantapura, Kodalu, Basapura, Talur, Madapura, Daroji, Joga, Lingadahalli. Activities planned in the adopted village are health care, education, woman empowerment, sanitation, sports, infrastructure, skill development, Environment management etc.
xi.	All the other terms and conditions stipulated in environmental clearance vide letter no vide Ir.no. EC21A008KA165146 dated 29/11/2021 shall remain unchanged.	Complied
xii.	In the case of conflicts between any of the group companies that are splitted from JSWSL, JSWSL shall be responsible for the conditions stipulated in EC dated 29.11.2021.	Noted and Agreed
xiii	PP shall ensure no conflicts in sharing common facilities in day-to-day operation.	Noted and Agreed

Annexure 01


						Annexure 01	ure 01
Details o	Details of Additional spec	species planted in the	in the G	Green	Belt of JSW Steel Limited	eel Limited	
Location	Plant Species	Local/Hindi Name	Height (m)	Туре	No of Saplings planted in existing area as Gap Plantation	No of Sapling planted in an additional area of 71 ha	Total no. of additional plantation done
	Acacia angustifolia	Swanapatri	5m	Tree	50	1400	1450
	Bauhinia varigata	Kachnar	5.m	Tree	50	1400	1450
	Bougainvillea spectabilis	Bougainvilea	5m	Shrub	50	1400	1450
	Conocarpus lancifolius	Buttonwood tree	5m	Tree	11500	1400	12900
1st Layer	Hibiscus rosa-sinensis	Jasud	5m	Shrub	50	1400	1450
	Nerium indicum	Kaner	5m	Shrub	50	1400	1450
	Nyctanthes arbor- tristis	Parijatha	5m	Tree	100	1400	1500
	Pongamia pinnata	Indian beech	6m	Tree	50	1400	1450
	Saraca asoka	Asoka	9m	Tree	20	1400	1420
	Ziziphus mauritiana	Ber	9m	Tree	120	1400	1520
	Acacia catechu	kattha	10m-15m	Tree	5280	2650	7930
	Acacia nilotica	babul	10m-15m	Tree	5280	2650	7930
	Alstonia scholaris	Chitvan	10m-15m	Tree	5300	2650	7950
	Bauhinia tomentosa	Safed Kachanar	10m-15m	Tree	5500	2650	8150
	Butea monopserma	Flame of the forest	10m-15m	Tree	5500	2650	8150
-	Calophyllum	300	10 mg 1 F mg	; ; F	COLL	CL	2
Znd Layer	Carsia fistula	ionine Ampre	10:- 15:	ב בב	2500	7650	8150
	Cassia listula	Allitas	IIICT-IIICT	Lee	2500	7650	8150
	Cassia Siamea	Simethangadi	10m-15m	Tree	5500	2650	8150
	Delonix regia	Gulmohar	10m-15m	Tree	5500	2650	8150
	Emblica officinalis	Amla	10m-15m	Tree	5500	2650	8150
	Ficus benjamina	Pukar	10m-15m	Tree	5500	2650	8150
	ficus infectoria	Juvvi	10m-15m	Tree	5500	2650	8150
	Ficus religiosa		10m-15m	Tree	5500	2650	8150

	ricus septica.	Doolliar	TOUT-TOUT	ב	2200	7650	0518
	Gamellia arborea		10m-15m	Tree	5500	2650	8150
		Malabar					
	Garcinia gummi gutta	tamarind	10m-15m	Tree	2500	2650	8150
	Jacaranda mamisofolia		10m-15m	Tree	5500	2650	8150
	Magnifera Indica	Mango	10m-15m	Tree	5500	2650	8150
	Manikara Sapota		10m-15m	Tree	5500	2650	8150
	Millingtonia hortensis		10m-15m	Tree	5500	2650	8150
	Mimusops elengi	Bakul	10m-15m	Tree	5500	2650	8150
	Polyalthia longifolia		10m-15m	Tree	5500	2650	8150
	Pterocarpus	- 11 - 11 - 17 - 11 - 17 - 11 - 17 - 11 - 17 - 11 - 17 - 11 - 17 - 11 - 17 - 11 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17 -	, ,	 			
	Harsuplum	Volle nonne	TUM-TSM	lree	5500	2650	8150
	Spathodea campanulata	Neerukayi Mara	10m-15m	Tree	5500	2650	8150
	Terminalia Kattapa		10m-15m	Tree	5500	2650	8150
	Thespesia populnea		10m-15m	Tree	5500	2650	8150
	Madhuca longifolia	Mahua	15m-20 m	Tree	0006	4300	13300
	Acacia auriculiformis		15m-20 m	Tree	0006	4300	13300
	Aegle marmelos	Bhel	15m-20 m	Tree	0006	4300	13300
	Azadirachta indica	Neem	15m-20 m	Tree	0006	4300	13300
	Azardirachta indica		15m-20 m	Tree	0006	4300	13300
	Bombax ceiba		15m-20 m	Tree	0006	4300	13300
	bombax ceiba	Malabar silk cotton tree	15m-20 m	Tree	0006	4300	13300
	dalbergia latifolia	bette mara	15m-20 m	Tree	0006	4300	13300
3rd Layer	dalbergia sisso	Seesham	15m-20 m	Tree	0006	4300	13300
	Delbergia sissoo		15m-20 m	Tree	0006	4300	13300
	Ficus bengalensis		15m-20 m	Tree	0006	4300	13300
	Ficus benjamina		15m-20 m	Tree	0006	4300	13300
	Ficus Sycomoris	Clustered fig	15m-20 m	Tree	0006	4300	13300
	Ficus infectoria	Pilkhan	15m-20 m	Tree	0006	4300	13300
	Filicium decipiens	Neeroli	15m-20 m	Tree	0006	4300	13300
	Madhuca insignis	ippe mara	15m-20 m	Tree	0006	4300	13300
	Syzygium cumini	Jamun	15m-20 m	Tree	0006	4300	13300
	Tamarinduc indica		1				

	Terminalia Arjuna	Arjuna	15m-20 m Tree	Tree	0006	4300	13300
	Terminalia chebula	Harad"	15m-20 m Tree	Tree	0006	4300	13300
	Terminalia mentalis	Badam	15m-20 m Tree	Tree	0006	4300	13300
		Indian					
	Toona Ciliata	Mahogany	15m-20 m Tree	Tree	0006	4300	13300
TOTAL							
					352400	177500	529900

JSW Steel Limited Plantation Details		
Existing Plantation	1647167	nos
Gap Plantation done	352400	nos
Planted done in 71 ha @2500 tree/ha	177500	nos
Total Plantation	2177067	nos
Additional Saplings planted considering Mortality rate of 10% (Apr - Sep 2024)	53040	nos
Additional Saplings planted considering Mortality rate of 10% (Oct – Mar 2025)	61170	nos
Total Plantation In JSW Steel Limited considering Mortality as on date	2291277	nos

Plantation photographs inside the plant premises



Existing Green Belt Area



Gap filling in the existing plantation area



New Plantation

<u>Implementation progress of the plan, Cost of implementing the recommendations outlined in the Integrated Site Specific Wildlife Conservation Plan</u>

The Management Plan of Daroji Sloth Bear Sanctuary has been prepared for the period 2020-21 to 2029-30 by the Deputy Conservator Forests, Research Division, Ballari. The plan has been approved by the Principal Chief Conservator of Forests (Wildlife) & Chief Wildlife Warden Karnataka vide Official Memorandum No. PCCF (WL)/D/CR-64/2020 – 21 dated 29-01-2021.

JSW has undertaken the following various initiatives and details of contribution towards the implementation of the activities are as follows;

MoU Date	Purpose	Estimated Cost	Status
		(INR Lakh)	
11.04.2015	Establishment of a Wild Life Interpretation Centre at Kamalapura Nature Camp site in Ballari District	150.00	Implemented
Year 2015	Implementation of Annual Afforestation Programme for 2015-17	31.60	Implemented
21.09.2021	Undertaking afforestation and conservation activities including Soil Moisture Conservation and Protection at Yerabanahalli area around the periphery of JSW Complex	105.00	Completed
23.03.2022	Developing of Afforestation /Greenbelt at Torangallu RF area around the periphery of JSW Complex	226.01	Under Progress
23.03.2022	Developing of Greenbelt at Daroji RF area around the periphery of JSW Complex	468.93	Under Progress
23.03.2022	Developing of Greenbelt at Public Park at Ballari	310.00	Under Progress
	Grand Total INR LAKH Say, INR 12.92 Cr.	1291.54	

Integrated Site Specific Wildlife conservation Plan

The Integrated Site Specific Wildlife Conservation plan (ISSWLCP) has been prepared for the whole JSW complex by JSW Steel Limited and this shall be applicable to all the Auxiliary companies.

The Integrated Site Specific Wildlife Conservation plan (ISSWLCP) for the Schedule I Fauna present/reported (along with updated schedule-I Fauna has been incorporated as per The Wild life (Protection) Amendment Act dt. 20.12.2022), prepared by Mr. Acharya Sreekanta Sankaradasji, Functional Area Expert empanelled with M/s Shreegreen Consultants, Surat, Gujarat, an NABET accredited consulting organization.

The integrated Site Specific Wildlife Conservation Plan submitted to DCF Ballari, which is under approval. The estimated cost toward the implementation of the plan is Rs. 8.1 Crores. Details of the same are as under:

		Financial provision of works in Zone of Influence (Buffer Zone) (To be implemented by DCF Bellari Forest Division)	
Imple	menting agenc	y: DCF Bellan division Forest Department Kamataka Funding agency: JSW.	ř.
	Para	Total Department Kamataka Funding agency: JSW	Steel Limited
SI.no	reference	Description of work	Amount &
	Chapter V	Proposed interventions in the buffer zone (Zol)	in lac
	Chapter V		
_		Proposed interventions in the buffer zone (ZoI)	
1	5.1	WILDLIFE ENFORCEMENT ACTIVITIES	
	5.1.1	Establishment of Anti-Poaching Barrack to support protection activities and elephant monitoring activities (including water supply, solar light system, boundary facility etc.):	50.0
- 1	5.1.2	Anti-depredation/ Protection Squad	10.0
	5.1.3	Procurement of camping equipment's (Tents, sleeping bag, water bottle, all terrain shoes, haversack, torch etc.)	10.0
2	5.2	WILDLIFE HABITAT MANAGEMENT	
	5.2.1	Grossland Management (weed eradication in existing open patches with necessary grass planting, its maintenance etc.)	100.0
	5.2.2	Desitting, Renovation & maintenance of existing water bodies	100.00
	5.2.3	Construction of Check dam along the nation	15.0
3	5,3	WILDLIFE MONITORING	
1	5.3.1	Procurement of Camera Trap	5.0
	5.3.2	Procurement of Monitoring Kits (Including Binoculars, Compass, Range Finders etc.)	5.0

4	5.4	HUMAN WILDLIFE CONFLICT MITIGATION	
	5.4.1	Installation of Solar Street lamp/light in elephant affected villages and its maintenance	15.0
	5:4.2	Provision of Tranquilizing Kit (Darl Gun & Medicines with other accessories)	5.0
	5,4,3	Provision of barricading open wells in the impact area (in agricultural lands)	15.0
5	5.5	LIVILHOOD GENERATION THROUGH COMMUNITY MOBILIZATION	
	5.6.1	Moosures to prevent diseases to wild animals	3.0
	5.5.2	Infiltration & Recharge	10.0
6	5.6	WILDUFE PROTECTION & ANTI-DEPREDATION	
	5.6.1	Arranging Worning & Wading system	50.0
	5.6.2	Rescue van with animal trap crates	10.0
7	5.7	PUBLIC AWARENESS, MONITORING & EVALUATION	
	5.7.1	IEC activities	5.0
	5.7.2	Educating the community	
		Conducting awareness camps	5.0
		Providing grain bin	5.0
		Strangthening GiS call	15.0
	5.7.3	Hoardings, signage's, wall writings, competitions etc.	10.0
	5.7.4	Maniforing & Evaluation	15.0
		Total	460,0
		20% escalation	92.0

552.0	Grand total	
250:0	Comprehensive conservation plan for 25 nos. of Schedule 1 species @ ₹ 1 lakh per species per year for 10 years (1 tath x10 years x25 nos.)	
8.0	Unforeseen confingencies	
810.0	Amount earmarked for SSWCP	1
₹ 610.0 lac	₹ Eight hundred (en foldis, say 8.1 Cr	

ENVIRONMENTAL QUALITY MONITORING SUMMARY (Oct 2024 to Mar 2025)

Ambient Air Quality Monitoring Results at Nearby Villages: 24 Hrs Average (Period: Oct 2024 to Mar 2025)

Average) Hample ganur kupa thini gallu Vaddu Suthanpur 100 45.3 42.8 49.7 48.3 46.9 47.1 57.6 100 45.3 42.8 49.7 48.3 46.9 47.1 57.6 100 18.12 17.12 19.8 19.32 18.76 18.84 23.04 33.04 80 12.1 12.9 11.8 13.1 12.6 13.4 13.2 100 46.1 41.1 48.7 47.7 46 45.2 51.3 100 46.1 41.1 48.7 47.7 46 45.2 51.3 100 46.1 41.1 48.7 47.7 46 45.2 51.3 80 12.2 11.6 13.7 12.8 13.1 12.9 11.8 100 45.5 42.3 47.7 45.9 44.8 45.2 50.2 80 15.2 12.4 17.9			Norms(Daily		Gadi	Kure	Kudi	Torana			Raca	Vidva		Karadi
PM.aclμg/m³) 100 45.3 42.8 49.7 48.3 46.9 47.1 57.6 PM.aclμg/m³) 60 18.12 17.12 19.8 19.32 18.76 18.84 23.04 1 SOa/μg/m³) 80 12.1 12.9 11.8 13.1 12.6 13.4 13.2 Noa/μg/m³) 80 13.2 11.5 13.9 13 14.2 14.9 12.6 PM.aclμg/m³) 80 13.2 11.5 13.9 13.7 14.0 12.6 13.3 12.6 13.7 12.6 13.3 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2 13.2	Month	LOCATION	Average)	Натрі	ganur	kupa	thini	gallu	Vaddu	Sulthanpur	bur	nagar	Talur	dhama
PM _{2.5} (μg/m³) 60 18.12 17.12 19.8 19.32 18.76 18.84 23.04 18.04 12.1 12.9 11.8 13.1 12.6 13.4 13.2 13.1 12.6 13.4 13.2 13.1 12.6 13.4 13.2 13.1 12.6 13.4 13.2 13.1 12.6 13.4 13.2 13.1 12.9 12.6 13.1 12.9 12.6 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 12.9 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1		PM ₁₀ (µg/m³)	100	45.3	42.8	49.7	48.3	46.9	47.1	57.6	45.9	44.1	46	41
SO ₂ (μg/m³) 80 12.1 12.9 11.8 13.1 12.6 13.4 13.2 NO ₂ (μg/m³) 80 13.2 11.5 13.9 13 14.2 14.9 12.6 PM _L s(μg/m³) 100 46.1 41.1 48.7 47.7 46 45.2 51.3 PM _L s(μg/m³) 60 18.4 16.4 19.5 19.1 18.7 18.1 20.5 NO ₂ (μg/m³) 80 12.7 11.6 13.7 12.8 13.1 12.9 11.8 PM _L s(μg/m³) 80 12.7 11.6 13.7 12.8 13.1 12.9 11.8 PM _L s(μg/m³) 80 12.2 10.9 12.2 11.6 13.1 13.9 11.5 SO ₂ (μg/m³) 80 13.7 12.4 17.9 44.8 55.8 56.78 PM _L s(μg/m³) 80 13.7 12.2 11.6 13.1 12.9 14.9 14.9 17.9 14.8 55.8	Oct-24	PM _{2.5} (μg/m³)	60	18.12	17.12	19.8	19.32	18.76	18.84	23.04	18.36	17.64	18.4	16.4
NO2(μg/m³) 80 13.2 11.5 13.9 13 14.2 14.9 12.6 PNΛz(μg/m³) 100 46.1 41.1 48.7 47.7 46 45.2 51.3 PNΛz(μg/m³) 60 18.4 16.4 19.5 19.1 18.7 18.1 20.5 SO2(μg/m³) 80 12.7 11.6 13.7 12.8 13.1 12.9 11.8 NO2(μg/m³) 80 12.7 11.6 13.7 12.8 44.8 45.5 50.2 PMz(μg/m³) 80 12.7 11.6 13.7 12.8 11.8 11.8 SO2(μg/m³) 80 13.7 12.2 14.6 17.9 18.9 11.5 PMz(μg/m³) 80 13.7 12.4 11.7 10.8 11.9 11.5 SO2(μg/m³) 80 10.4 12.2 12.6 13.1 12.1 12.8 PMz(μg/m³) 80 10.4 12.2 12.6 13.2 <th></th> <th>SO₂(µg/m³)</th> <th>80</th> <th>12.1</th> <th>12.9</th> <th>11.8</th> <th>13.1</th> <th>12.6</th> <th>13.4</th> <th>13.2</th> <th>12.7</th> <th>11.2</th> <th>12.3</th> <th>13.6</th>		SO ₂ (µg/m³)	80	12.1	12.9	11.8	13.1	12.6	13.4	13.2	12.7	11.2	12.3	13.6
PMλο(μg/m³) 100 46.1 41.1 48.7 47.7 46 45.2 51.3 PMλε(μg/m³) 60 18.4 16.4 19.5 19.1 18.7 18.1 20.5 SO ₂ (μg/m³) 80 11.8 11.5 13.2 12.6 13.1 12.9 13.8 NO ₂ (μg/m³) 80 12.7 11.6 13.7 45.9 44.8 45.5 50.2 PMλε(μg/m³) 80 12.2 10.9 18.2 42.3 47.7 45.9 44.8 45.5 50.2 PMλε(μg/m³) 80 13.7 12.2 11.6 13.7 12.2 11.5 13.1 13.9 11.5 PMλε(μg/m³) 80 13.7 12.4 11.7 10.8 14.9 14.9 12.2 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14		$NO_2(\mu g/m^3)$	80	13.2	11.5	13.9	13	14.2		12.6	13.2	14.5	11.6	12.9
PM2.s(μg/m³) 60 18.4 16.4 19.5 19.1 18.7 18.1 20.5 SO ₂ (μg/m³) 80 11.8 11.5 13.2 12.6 13.1 12.9 13.8 NO ₂ (μg/m³) 80 12.7 11.6 13.7 12.8 13.1 12.9 11.8 PM3.s(μg/m³) 60 18.2 42.3 47.7 45.9 44.8 45.5 50.2 PM3.s(μg/m³) 60 18.2 10.9 12.2 11.6 13.7 12.8 11.9 14.1 12.8 PM3.s(μg/m³) 60 12.2 10.9 12.2 11.6 13.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 <th< th=""><th></th><th>PM₁₀(μg/m³)</th><th>100</th><th>46.1</th><th>41.1</th><th>48.7</th><th>47.7</th><th>46</th><th>45.2</th><th>51.3</th><th>48.1</th><th>44.9</th><th>45.3</th><th>41.9</th></th<>		PM ₁₀ (μg/m³)	100	46.1	41.1	48.7	47.7	46	45.2	51.3	48.1	44.9	45.3	41.9
SO2(μg/m³) 80 11.8 11.5 13.2 12.6 13.1 12.9 13 NO2(μg/m³) 80 12.7 11.6 13.7 12.8 13.1 12.9 11.8 PM3.c(μg/m³) 60 45.5 42.3 47.7 45.9 44.8 45 50.2 PM3.c(μg/m³) 60 18.2 16.9 19.8 18.4 17.9 18 20.2 NO2(μg/m³) 80 12.2 10.9 12.2 11.7 10.8 11.9 11.5 PM3.c(μg/m³) 80 13.7 12.4 17.9 22.1 22.5 SO2(μg/m³) 80 10.4 14.9 12.2 12.6 13.1 12.7 16.7 NO2(μg/m³) 80 9.6 12.4 10.7 44.8 55.8 56.78 PM2.s(μg/m³) 80 10.0 41.2 42.6 42.9 46.6 52.1 22.1 PM2.s(μg/m³) 80 10.4 12.4 12.	Nov-24	PM _{2.5} (µg/m³)	09	18.4	16.4	00	19.1	18.7	∞i	20.5		17.9	18.12	16.7
NO2(μg/m³) 80 12.7 11.6 13.7 12.8 13.1 12.9 11.8 PMJ.o(μg/m³) 100 45.5 42.3 47.7 45.9 44.8 45 50.2 PMJ.s(μg/m³) 60 18.2 16.9 19.8 18.4 17.9 18 20.2 NO2(μg/m³) 80 12.2 10.9 12.2 11.6 13.1 13.9 11.5 PM2.s(μg/m³) 80 13.7 12.4 11.7 10.8 11.9 14.1 12.8 PM3.c(μg/m³) 80 10.4 14.9 12.2 12.6 13.1 12.8 56.78 PM3.c(μg/m³) 80 10.4 14.9 12.2 12.6 13.1 12.7 16.7 PM3.c(μg/m³) 80 10.4 12.4 12.9 46.6 52.2 52.2 PM3.c(μg/m³) 80 10.4 12.4 12.1 12.2 12.6 13.1 12.2 12.6 12.2 12.2		SO ₂ (µg/m³)	80	11.8	11.5	13.2	12.6	13.1		13	11.6	10.9	13.5	11.9
PM ₁ ο(μg/m³) 100 45.5 42.3 47.7 45.9 44.8 45 50.2 PM ₂ s(μg/m³) 60 18.2 16.9 19.8 18.4 17.9 18 20.8 SO ₂ (μg/m³) 80 12.2 10.9 12.2 11.6 13.1 13.9 11.5 NO ₂ (μg/m³) 80 13.7 12.4 11.7 10.8 11.9 14.1 12.8 PM ₂ s(μg/m³) 60 12.2 18.9 16.8 14.4 17.9 25.1 25.8 SO ₂ (μg/m³) 80 9.6 12.2 12.2 12.6 13.1 12.7 16.7 PM ₂ s(μg/m³) 60 11.2 12.2 12.6 13.1 12.7 16.7 PM ₂ s(μg/m³) 60 11.2 12.4 15.2 14.9 14.9 14.9 17.3 14.9 17.3 PM ₂ s(μg/m³) 80 10.4 12.4 12.2 14.9 45.9 46.6 52.2 55.2		NO ₂ (µg/m³)	80	12.7	11.6	13.7	12.8	13.1	12.9	11.8	12.9	13.2	12.1	13.5
PM2.s(μg/m³) 60 18.2 16.9 19.8 18.4 17.9 18 20.8 SO2(μg/m³) 80 12.2 10.9 12.2 11.6 13.1 13.9 11.5 NO2(μg/m³) 80 13.7 12.4 11.7 10.8 11.9 14.1 12.8 PM2.s(μg/m³) 60 12.2 18.9 16.8 14.4 17.9 22.1 22.5 SO2(μg/m³) 80 9.6 12.2 12.2 12.6 13.1 12.7 16.7 PM2.s(μg/m³) 80 9.6 12.4 10.7 10.8 8.9 14.9 1.7 PM2.s(μg/m³) 60 11.2 10.7 10.8 8.9 14.9 1.7 SO2(μg/m³) 80 10.4 12.4 12.6 14.9 15.2 14.9 15.2 14.9 15.2 14.9 15.2 14.9 14.9 17.0 14.9 14.9 16.6 14.9 14.9 14.9 14.9		PM ₁₀ (µg/m³)	100	45.5	42.3	47.7	45.9	44.8	45	50.2	47.1	46.3	44	40.9
SO₂(μg/m³) 80 12.2 10.9 12.2 11.6 13.1 13.9 11.5 NO₂(μg/m³) 80 13.7 12.4 11.7 10.8 11.9 14.1 12.8 PM₂₀(μg/m³) 60 12.2 18.9 16.8 14.4 17.9 22.1 22.5 SO₂(μg/m³) 80 10.4 14.9 12.2 12.6 13.1 12.7 16.7 NO₂(μg/m³) 80 9.6 12.4 10.7 10.8 8.9 14.9 12.7 PM₂₀(μg/m³) 60 11.2 42.6 40.2 42.9 46.6 52 52.7 SO₂(μg/m³) 80 10.4 12.4 12.6 13.2 14.9 15.2 14.9 15.2 14.9 15.7 14.9 15.2 14.9 15.7 14.9 15.7 14.9 15.7 14.9 15.7 14.9 15.7 14.9 15.2 14.9 15.2 14.9 15.2 14.9 15.2	Dec-24	PM _{2.5} (µg/m³)	09	18.2	16.9	19.8	18.4	17.9	18	20.8	18.8	18.5	17.6	16.3
NO2(μg/m³) 80 13.7 12.4 11.7 10.8 11.9 14.1 12.8 PM _{L2} (μg/m³) 100 35.4 46.3 42.7 41.9 44.8 55.8 56.78 PM _{L2} (μg/m³) 60 12.2 18.9 16.8 14.4 17.9 22.1 22.5 SO2(μg/m³) 80 9.6 12.2 12.6 13.1 12.7 16.7 PM _{L2} (μg/m³) 80 9.6 12.4 10.7 10.8 8.9 14.9 1.7 PM _{L2} (μg/m³) 60 11.2 19.4 16.6 16.8 18.2 22.1 22.5 SO ₂ (μg/m³) 80 10.4 12.4 12.6 14.9 12.1 12.1 PM _{L2} (μg/m³) 80 12.6 13.2 14.9 15.2 19.6 14.9 15.2 19.6 PM _{L2} (μg/m³) 80 12.4 45.1 48.3 56.2 55.2 55.2 PM _{L2} (μg/m³) 60 13.2 <th>1333</th> <th>SO₂(µg/m³)</th> <th>80</th> <th>12.2</th> <th>10.9</th> <th>12.2</th> <th>11.6</th> <th>13.1</th> <th></th> <th>11.5</th> <th>11</th> <th>14.9</th> <th>12.5</th> <th>10.7</th>	1333	SO ₂ (µg/m³)	80	12.2	10.9	12.2	11.6	13.1		11.5	11	14.9	12.5	10.7
PM ₁₀ (μg/m³) 100 35.4 46.3 42.7 41.9 44.8 55.8 56.78 PM _{2.5} (μg/m³) 60 12.2 18.9 16.8 14.4 17.9 22.1 22.5 SO ₂ (μg/m³) 80 10.4 14.9 12.2 12.6 13.1 12.7 16.7 PM ₁₀ (μg/m³) 80 9.6 12.4 10.7 10.8 8.9 14.9 1.7 PM _{2.5} (μg/m³) 60 11.2 42.6 42.9 46.6 52 52.2 SO ₂ (μg/m³) 80 10.4 12.4 12.6 14.9 15.2 14.9 15.2 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6		NO ₂ (µg/m³)	80	13.7	12.4	11.7	10.8	11.9	14.1	12.8	13.7	13.2	11.8	12.4
PM2.s(μg/m³) 60 12.2 18.9 16.8 14.4 17.9 22.1 22.5 SO ₂ (μg/m³) 80 10.4 14.9 12.2 12.6 13.1 12.7 16.7 NO ₂ (μg/m³) 80 9.6 12.4 10.7 10.8 8.9 14.9 1.7 PM ₁₀ (μg/m³) 60 11.2 19.4 16.6 16.8 18.2 22.1 22.2 SO ₂ (μg/m³) 80 10.4 12.4 12.6 14.9 15.2 19.6 19.6 PM ₁₀ (μg/m³) 80 12.6 13.2 14.9 15.2 19.6 14 22.8 PM ₁₀ (μg/m³) 60 13.2 14.9 15.2 19.6 14 22.8 23.2 23.2 23.6 SO ₂ (μg/m³) 80 12.4 15.2 17.2 19.6 14.3 18.4 14.3 14.3 14.3 14.3 14.3 14.5 14.3 14.3 14.3 14.3 14.3 <		$PM_{10}(\mu g/m^3)$	100	35.4	46.3	42.7	41.9	44.8	55.8	56.78	42.1	52.9	46.0	39.9
SO₂(μg/m³) 80 10.4 14.9 12.2 12.6 13.1 12.7 16.7 NO₂(μg/m³) 80 9.6 12.4 10.7 10.8 8.9 14.9 1.7 PM₂.s(μg/m³) 60 11.2 42.6 40.2 42.9 46.6 52 52.2 SO₂(μg/m³) 80 10.4 12.4 15.6 16.6 16.8 18.2 22.1 22.2 NO₂(μg/m³) 80 10.4 12.4 12.6 14 12.1 12.2 19.6 PM₃.s(μg/m³) 60 13.2 14.9 15.2 19.6 14 22.8 SO₂(μg/m³) 60 13.2 17.4 45.1 48.3 56.2 55.5 SO₂(μg/m³) 80 12.4 11.1 11.1 15.2 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3	Jan-25	PM _{2.5} (µg/m³)	09	12.2	18.9	16.8	14.4	17.9	22.1	22.5	16.8	19.9	18.6	14.3
NO2(µg/m³) 80 9.6 12.4 10.7 10.8 8.9 14.9 1.7 PM ₁₀ (µg/m³) 100 41.2 42.6 40.2 42.9 46.6 52 52.2 PM _{2.5} (µg/m³) 60 11.2 19.4 16.6 16.8 18.2 22.1 22 SO ₂ (µg/m³) 80 10.4 12.4 12.6 14 12.1 12.2 19.6 PM ₁₀ (µg/m³) 80 12.6 13.2 14.9 15.2 19.6 14 22.8 PM _{2.5} (µg/m³) 60 13.2 17.4 45.1 48.3 56.2 55.5 SO ₂ (µg/m³) 80 12.4 15.2 17.2 19.6 14.3 18.4 NO ₂ (µg/m³) 80 12.4 13.1 17.3 16.5 16.5 16.3 16.5		$SO_2(\mu g/m^3)$	80	10.4	14.9	12.2	12.6	13.1	12.7	16.7	11.0	9'6	12.5	9.7
PM ₁₀ (μg/m³) 100 41.2 42.6 40.2 45.9 46.6 52 52.2 PM _{2.5} (μg/m³) 60 11.2 19.4 16.6 16.8 18.2 22.1 22 SO ₂ (μg/m³) 80 10.4 12.4 12.6 14 12.1 12.2 19.6 PM ₁₀ (μg/m³) 80 12.6 13.2 14.9 15.2 19.6 14 22.8 PM _{2.5} (μg/m³) 60 13.2 17.4 15.2 17.2 19.6 55.5 55.5 SO ₂ (μg/m³) 80 12.4 11.1 11.1 15.2 13.7 14.3 18.4 NO ₂ (μg/m³) 80 12.6 15.3 13.1 17.3 16.5 16.5 16.3 18.4		NO ₂ (µg/m³)	80	9.6	12.4	10.7	10.8		14.9	1.7	12.7	11.9	10.8	10.4
PM2.s(µg/m³) 60 11.2 19.4 16.6 16.8 18.2 22.1 22 SO ₂ (µg/m³) 80 10.4 12.4 12.6 14 12.1 12.2 19.6 NO ₂ (µg/m³) 80 12.6 13.2 14.9 15.2 19.6 14 22.8 PM ₁₀ (µg/m³) 60 13.2 44.1 43.4 45.1 48.3 56.2 55.5 SO ₂ (µg/m³) 60 13.2 17.4 15.2 17.2 19.6 13.3 18.4 NO ₂ (µg/m³) 80 14.6 15.3 13.1 17.3 16.5 16.3 18.4		$PM_{10}(\mu g/m^3)$	100	41.2	42.6	40.2	42.9	46.6	52	52.2	43.2	54.9	42	38.9
SO ₂ (μg/m³) 80 10.4 12.4 12.6 14 12.1 12.2 19.6 NO ₂ (μg/m³) 80 12.6 13.2 14.9 15.2 19.6 14 22.8 PM ₁₀ (μg/m³) 60 45.2 44.1 43.4 45.1 48.3 56.2 55.5 SO ₂ (μg/m³) 80 12.4 11.1 11.1 15.2 13.7 14.3 18.4 NO ₂ (μg/m³) 80 12.4 11.1 17.3 16.5 16.3 16.3 20.4	Feb-75	PM _{2.5} (μg/m³)	09	11.2	19.4	16.6	16.8	18.2	22.1	22		19.6	18.6	14.2
NO2(μg/m³) 80 12.6 13.2 14.9 15.2 19.6 14 22.8 PM ₁₀ (μg/m³) 100 45.2 44.1 43.4 45.1 48.3 56.2 55.5 PM ₂₅ (μg/m³) 60 13.2 17.4 15.2 17.2 19.6 19.6 55.5 SO ₂ (μg/m³) 80 12.4 11.1 11.1 15.2 13.7 14.3 18.4 NO ₂ (μg/m³) 80 14.6 15.3 13.1 17.3 16.5 16.3 16.3 10.4		SO ₂ (µg/m³)	80	10.4	12.4	12.6	14	12.1	12.2	19.6	11.2	13	12.6	10.6
PM ₁₀ (μg/m³) 100 45.2 44.1 43.4 45.1 48.3 56.2 55.5 PM _{2.5} (μg/m³) 60 13.2 17.4 15.2 17.2 19 23.2 21.6 SO ₂ (μg/m³) 80 12.4 11.1 11.1 15.2 13.7 14.3 18.4 NO ₂ (μg/m³) 80 14.6 15.3 13.1 17.3 16.5 16.3 20.4		NO ₂ (µg/m³)	80	12.6	13.2	14.9	15.2	19.6	14	22.8	12.6	15.6	13.2	13.2
PM2.s(μg/m³) 60 13.2 17.4 15.2 17.2 19 23.2 21.6 SO ₂ (μg/m³) 80 12.4 11.1 11.1 15.2 13.7 14.3 18.4 NO ₂ (μg/m³) 80 14.6 15.3 13.1 17.3 16.5 16.3 20.4		PM ₁₀ (µg/m³)	100	45.2	44.1	43.4	45.1	48.3	56.2	55.5	46.1	56.4	46.1	42.5
SO ₂ (μg/m³) 80 12.4 11.1 11.1 15.2 13.7 14.3 18.4 NO ₂ (μg/m³) 80 14.6 15.3 13.1 17.3 16.5 16.3 20.4	Mar-25	PM _{2.5} (µg/m³)	09	13.2	17.4	15.2	17.2	19	23.2	21.6	17.2	18.1	19.4	13.3
80 146 153 131 173 165 163 204		SO ₂ (µg/m³)	80	12.4	11.1	11.1	15.2	13.7	14.3	18.4	13.4	11.2	10.6	11.5
10.3 10.3 10.3 10.3		$NO_2(\mu g/m^3)$	80	14.6	15.3	13.1	17.3	16.5	16.3	20.4	15.1	16.4	12.2	14.2

CEMS Stack Results 24 hrs Average (Period: Oct 2024 to Mar 2025)

	CEMS Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)	CB From (Oct-2024 to	o March -2025	(Month wis	(eg		
G	-			PI	PM (mg/ NM³)			
28. <u>10</u>	stack Name	Norms	October	November	December	January	February	March
1	Stack_1_Sinter Plant-1	150.00	30.60	28.88	24.19	19.76	25.13	21.06
2	Stack_2_Sinter Plant-2	20.00	18.30	15.53	18.63	23.05	21.33	19.26
С	Stack_3_Sinter Plant-3	20.00	29.15	28.42	27.09	30.42	24.77	27.49
4	Stack_4_Sinter Plant-4	50.00	13.49	17.07	20.30	22.50	19.67	19.09
5	Stack_5_ BF-1 Stove	20.00	21.55	22.20	26.53	22.53	19.04	22.41
9	Stack_6_BF-2 Stove	150.00	24.01	24.14	23.65	24.21	22.67	23.75
7	Stack_7_BF-3 Stove	20.00	20.77	21.74	20.57	19.72	20.05	23.34
∞	Stack_8_BF-4 Stove	20.00	21.88	24.88	24.01	21.47	26.23	24.09
6	Stack_9 SMS-1 HMDS 1 & 2	150.00	0.00	0.00	0.00	0.00	0.00	0.00
10	Stack_10 SMS- 1 LHF-1	150.00	0.00	0.00	0.00	0.00	0.00	0.00
11	Stack_11 SMS-1 LHF-2	150.00	45.36	30.73	34.17	29.82	24.93	21.96
12	Stack_12 SMS-1 HMDS 3	150.00	0.00	0.00	0.00	0.00	0.00	0.00

SR. NO Stack Name Norms October November Jecember January February 13 Stack_13 SMS - 1 HMPT II 150.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 <td< th=""><th></th><th>CEMS Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)</th><th>CB From (</th><th>Oct-2024 t</th><th>o March -2025</th><th>(Month wis</th><th>(e)</th><th></th><th></th></td<>		CEMS Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)	CB From (Oct-2024 t	o March -2025	(Month wis	(e)		
Stack Name Norms October November December January Stack_13 SMS - 1 HMPT II 150.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	9	-			В	√ (mg/ NM³)			
Stack_13 SMS - 1 HMPT I 150.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	X. NO	Stack Name	Norms	October	November	December	January	February	March
Stack_14 SMS-1 HMPT II 150.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	13	- 1	150.00	0.00	0.00	0.00	0.00	00:00	0.00
Stack_15 SMS-1 KR Process 150.00 24.42 25.71 21.41 23.51 Stack_16 SMS-1 LHF-3 150.00 48.02 34.88 33.85 29.94 Stack_17 SMS-2 HMDS - 1 50.00 19.80 22.60 17.41 17.45 Stack_19 SMS-2 HMDS - 2 50.00 19.10 20.49 15.67 17.37 Stack_19 SMS-2 K R Process & Pouring station 50.00 18.95 19.86 19.59 18.44 Stack_20 SMS-3 Fume Extraction system 50.00 18.53 18.95 18.04 16.40 Stack_21 HSM-1 Reheating Furnace 1 150.00 23.45 24.72 22.81 23.37 Stack_22 HSM -1 Reheating Furnace 2 150.00 23.35 20.57 20.42 22.05 Stack_24 HSM -2 Reheating Furnace 4 50.00 23.58 25.88 26.69 27.71	14		150.00	0.00	0.00	00:00	0.00	00:00	0.00
Stack_16 SMS-1 LHF-3 150.00 48.02 34.88 33.85 29.94 Stack_17 SMS-2 HMDS-1 50.00 19.80 22.60 17.41 17.45 Stack_19 SMS-2 HMDS-2 50.00 19.10 20.49 15.67 17.37 Stack_19 SMS-2 K R Process & Pouring station 50.00 18.95 18.66 19.59 18.44 Stack_20 SMS-3 Fume Extraction system 50.00 18.53 18.95 18.04 16.40 Stack_21 HSM-1 Reheating Furnace 1 150.00 23.45 24.72 22.81 23.37 Stack_22 HSM-1 Reheating Furnace 2 150.00 32.37 20.57 20.42 22.05 Stack_24 HSM-2 Reheating Furnace 4 50.00 23.58 26.69 27.71	15	\sim	150.00	24.42	25.71	21.41	23.51	25.38	23.65
Stack_17 SMS- 2 HMDS - 1 50.00 19.80 22.60 17.41 17.45 Stack_18 SMS- 2 HMDS - 2 50.00 19.10 20.49 15.67 17.37 Stack_19 SMS-2 K R Process & Pouring station 50.00 18.95 19.86 19.59 18.44 Stack_20 SMS-3 Fume Extraction system 50.00 18.53 18.95 18.04 16.40 Stack_21 HSM-1 Reheating Furnace 1 150.00 23.45 24.72 22.81 23.37 Stack_22 HSM -1 Reheating Furnace 2 150.00 32.37 32.65 34.11 33.24 Stack_24 HSM -2 Reheating Furnace 4 50.00 23.58 26.69 27.71	16		150.00	48.02	34.88	33.85	29.94	30.94	29.10
Stack_18 SMS-2 HMDS - 2 50.00 19.10 20.49 15.67 17.37 Stack_19 SMS-2 K R Process & Pouring station 50.00 18.95 19.86 19.59 18.44 Stack_20 SMS-3 Fume Extraction system 50.00 18.53 18.95 18.04 16.40 Stack_21 HSM-1 Reheating Furnace 1 150.00 23.45 24.72 22.81 23.37 Stack_22 HSM -1 Reheating Furnace 2 150.00 32.37 32.65 34.11 33.24 Stack_23 HSM -2 Reheating Furnace 3 50.00 19.23 20.57 20.42 22.05 Stack_24 HSM -2 Reheating Furnace 4 50.00 23.58 25.88 26.69 27.71	17		20.00	19.80	22.60	17.41	17.45	18.64	18.81
Stack_19 SMS-2 K R Process & Pouring station 50.00 18.95 19.86 19.59 18.44 Stack_20 SMS-3 Fume Extraction system 50.00 18.53 18.95 18.04 16.40 Stack_21 HSM-1 Reheating Furnace 1 150.00 23.45 24.72 22.81 23.37 Stack_22 HSM -1 Reheating Furnace 2 150.00 32.37 32.65 34.11 33.24 Stack_23 HSM -2 Reheating Furnace 3 50.00 19.23 20.57 20.42 22.05 Stack_24 HSM -2 Reheating Furnace 4 50.00 23.58 26.69 27.71	18		20.00	19.10	20.49	15.67	17.37	18.77	19.61
Stack_20 SMS- 3 Fume Extraction system 50.00 18.53 18.95 18.04 16.40 Stack_21 HSM- 1 Reheating Furnace 1 150.00 23.45 24.72 22.81 23.37 Stack_22 HSM -1 Reheating Furnace 2 150.00 32.37 32.65 34.11 33.24 Stack_23 HSM -2 Reheating Furnace 3 50.00 19.23 20.57 20.42 22.05 Stack_24 HSM -2 Reheating Furnace 4 50.00 23.58 25.88 26.69 27.71	19	Stack_19 SMS-2 K R Process & Pouring station	20.00	18.95	19.86	19.59	18.44	19.03	19.73
Stack_21 HSM-1 Reheating Furnace 1 150.00 23.45 24.72 22.81 23.37 Stack_22 HSM -1 Reheating Furnace 2 150.00 32.37 32.65 34.11 33.24 Stack_23 HSM -2 Reheating Furnace 3 50.00 19.23 20.57 20.42 22.05 Stack_24 HSM -2 Reheating Furnace 4 50.00 23.58 26.69 27.71	20	Stack_20 SMS- 3 Fume Extraction system	20.00	18.53	18.95	18.04	16.40	16.59	18.78
Stack_22 HSM -1 Reheating Furnace 2 150.00 32.37 32.65 34.11 33.24 Stack_23 HSM -2 Reheating Furnace 4 50.00 19.23 20.57 20.42 22.05	21	Stack_21 HSM-1 Reheating Furnace 1	150.00	23.45	24.72	22.81	23.37	26.56	26.38
Stack_23 HSM -2 Reheating Furnace 3 50.00 19.23 20.57 20.42 22.05 Stack_24 HSM -2 Reheating Furnace 4 50.00 23.58 25.88 26.69 27.71	22	Stack_22 HSM -1 Reheating Furnace 2	150.00	32.37	32.65	34.11	33.24	32.56	30.97
Stack_24 HSM -2 Reheating Furnace 4 50.00 23.58 25.88 26.69 27.71	23	Stack_23 HSM -2 Reheating Furnace 3	20.00	19.23	20.57	20.42	22.05	20.34	20.72
	24	Stack_24 HSM -2 Reheating Furnace 4	20.00	23.58	25.88	26.69	27.71	19.12	16.16

Т

1

	CEMS Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)	CB From (Oct-2024 to	o March -2025	(Month wis	Se)		
9				<u>a</u>	PM (mg/ NM³)			
27. Z	Stack Name	Norms	October	November	December	January	February	March
25	Stack_25 HSM -2 Reheating Furnace 5	50.00	23.51	23.71	23.32	23.82	20.63	18.83
26	Stack_26 Wire Rod Mill Reheating Furnace	50.00	21.35	23.26	25.91	26.89	23.70	24.52
27	Stack_27 BRM 1 Reheating Furnace	20.00	14.56	18.46	17.59	18.39	19.22	19.02
28	Stack_28 BRM 2 Reheating Furnace	20.00	18.54	20.66	20.83	21.94	20.55	20.20
29	Stack_29 CRM 1 - BAF	20.00	17.35	22.24	18.49	18.78	18.69	18.45
30	Stack_30 CRM 1 - Annealing cum coating line Radiant tube furnace	50.00	18.95	19.22	19.97	19.86	18.50	19.08
31	Stack_31 CRM 2 - Galvansing line -Furnace	50.00	17.36	19.91	19.03	19.11	17.85	19.08
32	Stack_32 CRM 2 -Annealing Line 1– Furnace	50.00	21.03	23.24	21.55	21.67	22.13	18.27
33	Stack_33 CRM 2 -Annealing Line 2– Furnace	50.00	20.53	20.78	21.07	20.07	19.51	18.72
34	Stack_34 COKE OVEN 3 Battery- 1 & 2	20.00	22.70	21.22	20.12	20.40	20.42	19.93
35	Stack_35 COKE OVEN 3 Battery-3 & 4	20.00	21.17	22.22	21.75	21.17	22.21	20.15
36	Stack_36 COKE OVEN 4 Battery-1 & 2	50.00	19.87	18.98	21.53	22.45	23.12	25.25

	CEMS Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)	CB From (Oct-2024 to	o March -2025	(Month wis	Se)		
9	:			Ы	PM (mg/ NM ³)			
SK. NO	Stack Name	Norms	October	November	December	January	February	March
37	Stack_37 COKE OVEN 4 Battery-3 & 4	20.00	20.84	20.95	19.36	22.97	20.17	21.30
38	Stack_38 LCP -1 to 4, Lime Kiln -1	150.00	37.39	34.71	36.68	37.69	41.08	38.60
39	Stack_39 LCP -1 to 4, Lime Kiln -2	150.00	42.15	40.58	36.33	38.36	41.51	39.05
40	Stack_40 LCP -1 to 4, Lime Kiln -3	150.00	39.60	32.60	31.05	29.52	31.62	31.58
41	Stack_41 LCP -1 to 4, Lime Kiln -4	150.00	29.48	35.66	38.18	34.70	33.16	33.34
42	Stack_42 LCP -5 to 8, 7 MTPA Lime Kiln -5	20.00	20.77	23.54	20.55	22.22	21.68	22.34
43	Stack_43 LCP -5 to 8, 7 MTPA Lime Kiln -6	20.00	28.88	29.30	21.32	25.28	22.83	21.34
44	Stack_44 LCP -5 to 8, 7 MTPA Lime Kiln -7	20.00	14.85	13.46	20.40	20.60	17.83	23.99
45	Stack_45 LCP -5 to 8, 7 MTPA Lime Kiln -8	50.00	19.51	22.95	23.05	24.07	21.69	22.89
46	Stack_46 LCP -9 to 12, 10 MTPA Lime Kiln -9	20.00	19.08	20.89	23.34	23.74	23.61	24.38
47	Stack_47 LCP -9 to 12, 10 MTPA Lime Kiln -10	20.00	19.07	23.98	23.54	22.91	21.95	21.59
48	Stack_48 LCP -9 to 12, 10 MTPA Lime Kiln -11	20.00	20.73	24.08	21.40	18.61	20.21	22.12

	CEMS Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)	CB From (Oct-2024 t	o March -2025	(Month wis	(e)		
9				Б	PM (mg/ NM³)			
2K. 180	Stack Name	Norms	October	November	December	January	February	March
49	Stack_49 LCP -9 to 12, 10 MTPA Lime Kiln -12	20.00	18.85	17.67	20.00	19.85	00:00	0.00
20	Stack_50 Corex 1 & 2 Cast House dedusting	150.00	22.47	22.27	32.27	24.84	25.63	28.22
51	Stack_51 BF- 1 Stock House	50.00	25.68	25.51	26.34	28.03	26.70	23.91
52	Stack_52 BF- 2 Stock House	150.00	27.19	22.94	20.85	17.81	22.31	18.14
53	Stack_53 BF - 2 Stock House_ New DDS	150.00	22.61	27.37	28.72	25.12	29.09	25.22
54	Stack_54 BF -3 Stock House	20.00	15.98	18.50	20.36	21.15	23.24	19.83
55	Stack_55 BF -4 Stock House	20.00	21.35	20.74	18.60	19.17	19.28	24.19
56	Stack_56 CPP 1 - 390 TPH Boiler	150.00	23.25	24.77	20.66	22.15	25.95	22.54
57	Stack_57 CPP 2 -200 TPH Boiler	150.00	26.30	27.66	21.53	26.93	29.66	29.19
28	Stack_58 CPP 3 -300 MW Power Plant	20.00	26.86	29.64	31.29	26.59	17.81	0.00
59	Stack_59 CPP 4 - 300 MW Power Plant	50.00	27.72	29.43	28.48	28.89	23.55	22.97
09	Stack_60 Sinter Plant-3 Dedusting	20.00	35.36	31.62	28.98	25.63	22.54	24.13


	CEMS Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)	CB From (Oct-2024 to	o March -2025	(Month wis	(eg		
9				П	PM (mg/ NM³)			
×.	Stack Name	Norms	October	November	December	January	February	March
61	Stack_61 BF -1 Cast House	50.00	22.95	22.63	26.37	24.08	19.50	17.74
62	Stack_62 BF - 2 Cast House	150.00	32.36	33.34	26.12	31.18	25.90	27.08
63	Stack_63 BF-3 East Cast House	50.00	21.68	21.47	21.41	19.24	19.25	18.90
64	Stack_64 BF -3 West Cast House	20.00	18.94	22.69	19.86	19.70	18.95	20.25
65	Stack_65 Blast Furnace -4 East Cast House	20.00	17.08	19.70	19.09	20.56	19.58	19.65
99	Stack_66 Blast Furnace -4 West Cast House	20.00	21.64	22.70	21.01	21.73	22.86	21.51
29	Stack_67 SMS-1 Secondary dedusting systems for Converters I, II and III	150.00	30.29	26.57	26.23	24.05	30.78	24.68
89	Stack_68 SMS -2 Secondary dedusting systems for Converters I, II, LHF I & II	20.00	18.06	23.74	27.64	19.80	18.63	18.19
69	Stack_69 SMS-2 Secondary dedusting systems for Converters III and IV & LHF III and IV	20.00	19.60	21.95	23.58	24.75	21.56	21.19
70	Stack_70 PP - 1 wind & Hood Box	150.00	74.15	75.16	71.55	49.81	53.84	59.54
71	Stack_71 PP - 2 Wind & Hood Box	50.00	23.28	22.14	22.99	21.62	19.93	20.97
72	Stack_72 PP - 3 wind & Hood Box-PM-mg/Nm3	20.00					18.48	19.80

	CEMS Gases Averag	Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)	CB From Oct	:-2024 to [March -2025	(Month w	ise)		
S NO	Concl. Varet								
	סומרת ואפווופ		Norms	October	November	December	January	February	March
-	Stack 5 BF-1 Grove	SO2-mg/Nm3	250.00	154.75	153.30	160.60	160.62	161.40	159.44
		NOX-mg/Nm3	150.00	78.02	76.81	74.16	76.92	74.13	72.37
2	Stack 6 BF-2 Stove	SO2-mg/Nm3	250.00	163.43	156.55	155.74	156.91	160.60	171.17
		NOX-mg/Nm3	150.00	84.14	78.89	78.23	76.73	73.92	83.32
m	Stack 7 BE-3 Grove	SO2-mg/Nm3	250.00	157.40	153.12	144.11	151.76	160.83	153.13
		NOX-mg/Nm3	150.00	82.02	78.56	66.38	76.08	79.13	76.19
4	Stack 8 BE-4 Stove	SO2-mg/Nm3	250.00	160.27	150.76	151.12	149.96	163.35	164.75
		NOX-mg/Nm3	150.00	82.53	79.52	74.48	73.32	76.30	70.17
'n	Stack_34 COKE OVEN	SO2-mg/Nm3	800.00	332.43	442.43	441.20	463.26	497.54	501.51
	Battery- 1 & 2	NOX-mg/Nm3	500.00	196.71	283.54	238.26	241.69	276.39	273.70
9	Stack_35 COKE OVEN	SO2-mg/Nm3	800.00	365.28	402.45	451.67	448.66	486.66	499.83
•	3 Battery-3 & 4	NOX-mg/Nm3	500.00	219.46	271.11	252.39	221.02	276.86	258.73
7	Stack_36 COKE OVEN 4 Battery	SO2-mg/Nm3	800.00	344.74	393.22	415.84	455.13	450.70	491.51
	-182	NOX-mg/Nm3	500.00	202.34	269.78	266.15	252.24	254.69	248.42

	CEMS Gases Average	Average Report of KSPCB From Oct-2024 to March -2025 (Month wise)	B From Oct	-2024 to F	March -2025	(Month w	ise)		
ON ON	Sector M. Street	•							3*
2	Stack Name		Norms	October	November	December	January	February	March
œ	Stack_37 COKE OVEN 4	SO2-mg/Nm3	800.00	342.44	366.00	419.46	442.36	432.64	497.03
	Battery-3 & 4	NOX-mg/Nm3	500.00	204.77	240.93	279.50	238.82	259.15	250.30
σ	Stack 56 CDD 1 - 390 TDH Boiler	SO2-mg/Nm3	00.009	259.28	249.22	228.88	200.08	240.51	250.07
,		NOX-mg/Nm3	300.00	152.11	154.09	143.32	127.40	125.66	129.90
10	Stack 57 CPP 2 - 200 TBH Boiler	SO2-mg/Nm3	600.00	269.88	268.84	233.34	223.42	246.35	260.25
2	2 200 111 0016	NOX-mg/Nm3	300.00	156.04	151.23	141.61	130.74	128.82	138.81
17	Stack 58 CDD 3 -300 MW Downs Dlant	SO2-mg/Nm3	600.00	267.51	356.67	487.54	511.39	491.56	00.00
		NOX-mg/Nm3	300.00	156.15	183.43	205.84	214.31	198.81	0.00
12	Stack 59 CDD 4 - 300 MMM Downer Dlant	SO2-mg/Nm3	00.009	264.80	369.51	504.90	485.48	513.03	502.38
1	State of the control	NOX-mg/Nm3	300.00	153.14	188.36	222.17	198.40	199.43	198.42

Hill Side Township STP

Sewage Treatment Plant Outlet Water Quality Monitoring Report (Oct 2024 to Mar 2025)



			10 MT	10 MT GATE			
PARAMETERS	October	November	December	January	February	March	Norms
PM 10 (µg/m³)	43.13	58.55	57.60	59.79	57,16	57,21	100
PM 2.5 (μg/m³)	20.14	27.93	27,58	28.08	27.06	26.78	09
SO2 (µg/m³)	13.76	19.42	20.51	20.98	21.10	22.71	80
NOx(µg/m³)	18.17	25.06	28.47	28.87	26.81	26.24	80
CO (mg/m³)	0.50	0.71	1.02	0.81	0.82	0.81	2

			VADDU	VADDU VILLAGE			
PARAMETERS	October	November	December	January	February	March	Norms
PM 10 (µg/m³)	57.68	61.62	65.17	59.08	57.90	62.05	100
PM 2.5 (μg/m³)	26.45	28.50	30.21	27.13	26.51	28.57	09
SO2 (µg/m³)	17.10	20.87	24.62	23.07	21.78	28.34	80
NOx(μg/m³)	21.85	28.59	32.17	29.39	29.52	32.44	80
CO (mg/m³)	1.03	1.32	1.05	1.05	1.16	1.13	2

			V V NAGAR	V V NAGAR TOWNSHIP			
PARAMETERS	October	November	December	January	February	March	Norms
PM 10 (µg/m³)	43.04	54.86	51.65	53.02	52.30	52.37	100
PM 2.5 (µg/m³)	20.37	26.26	24.42	24.14	24.13	24.24	09
SO2 (µg/m³)	12.27	18,01	19.29	19.35	20.29	18.85	80
NOx(µg/m³)	14.96	23.09	25.44	24.92	26,76	29.08	80
CO (mg/m³)	0.65	0.58	09'0	0.65	0.96	0.55	2

Continuous Ambient Air Quality Monitoring Data- Daily Average Month wise (Oct 2024 to Mar 2025)


			VIDYANAGAR TOWNSHIP	R TOWNSHIP			
PARAMETERS	October	November	December	January	February	March	Norms
РМ 10 (µg/m³)	42.28	58.26	50,14	57.09	57.78	53.06	100
PM 2.5 (µg/m³)	17.91	25.05	21.32	23.98	24.41	22.18	09
SO2 (µg/m³)	15.27	21.10	20.16	16.62	19.75	19.66	80
NOx(μg/m³)	19.51	24.28	23.89	21.91	25.73	22.97	80
CO (mg/m³)	0.41	0.49	0.48	09:0	0,66	69'0	2

			SULTH,	SULTHANPUR			
PARAMETERS	October	November	December	January	February	March	Norms
PM 10 (µg/m³)	56.30	61.70	62.17	60.78	60.03	58.36	100
PM 2.5 (µg/m³)	20.15	27.39	29.78	28.55	29.29	28.55	09
SO2 (µg/m³)	20.82	25.62	18,81	20.78	27.19	22.88	80
NOx(µg/m³)	25.00	30.07	24.56	27.72	33.45	29.03	80
CO (mg/m³)	06.0	0.87	0.59	1.17	1.03	0.94	2

			SHANKAR HILL TOWNSHIP	L TOWNSHIP			;
PARAMETERS	October	November	December	January	February	March	Norms
PM 10 (µg/m³)	38.72	57.86	55.28	61.44	55,65	53,99	100
PM 2.5 (μg/m³)	19.41	28.58	26.97	29.46	26.83	25.62	09
SO2 (µg/m³)	15.96	21.32	19,51	26.96	19.75	16.83	80
NOx(µg/m³)	19.77	26.94	26.96	31.71	26.26	21.66	80
CO (mg/m³)	0.47	0.67	0.78	0.71	0.66	0.53	2

Ambient Noise Level Monitoring At Nearby Villages (Oct 2024 to Mar 2025)

			(
Location Name	Day Time Norms dB(A)Leq	October	November	December	January	February	March
Shankar Hill Township	55	51.6	50.2	51	48	48.0	47.0
Sultanpur Village	55	48.2	49.3	48.9	50.9	48.5	49
Toranagallu	55	50.1	51	50.1	48.4	50.1	50
Talur Village	55	51	50.8	50.3	48.3	45.3	44.8
Vaddu Village	55	51.8	51.1	50.4	50.4	52.4	50.2
Gadiganur Village	55	49.6	48.7	49.7	42.7	47.7	47.9
Basapur Village	55	49.7	48.8	47.8	40.8	48.8	48
Kurekuppa Village	55	46.1	45.3	46.2	41.2	44.2	43
Karadidhama Village	55	49.5	44.2	45.5	38.5	46.5	45.1
Kudithini Village	55	20	51.2	50.2	41.0	44.2	44
Hampi Village	55	50.4	50.9	51.9	39.9	48.9	47.6
Vidyanagar Township	55	51.3	9:05	49.6	44.2	48.6	46
VV Nagar	55	48.5	49.3	49.1	49.2	49.1	50.8
10 MT Main Gate	55	44.2	45.5	46.2	50.2	46.2	44.8
Location Name	Night time Norms dB(A)Leq	October	November	December	January	February	March
Shankar Hill Town	45	40.2	40	41.2	40.2	41.2	40.2
Sultanpur	45	40.6	41.1	40.1	41.1	40.2	42
Toranagallu	45	40.4	40.2	40	41.0	42.0	42.0
Talur	45	40	40.3	40.8	40.8	40.8	41.8
Vaddu	45	42	41.1	39.1	39.1	39.1	38.1
Gadiganur	45	41.1	41.6	40.6	38.6	40.6	36.6
Basapur	45	40.5	40.8	41.8	41.8	41.8	40.7
Kurekuppa	45	40.9	41.3	42.4	38.4	42.4	40.4
Karadidhama	45	41.3	40.3	41.3	32.3	40.3	41.3
Kudithini	45	41.5	41.5	40.7	39.7	42.7	38.7
Hampi	45	41.6	41.7	41.4	38.4	39.6	37.6
Vidyanagar	45	40.7	40.9	41.3	41.3	41.3	38.3
VV Nagar	45	41.7	41.9	40.2	40.2	40.2	39.2
10 MT Main Gate	45	41.2	41.9	40.3	40.3	40.3	40.1





Environment Policy

JSW Steel recognizes protecting and nurturing the environment as one of its primary responsibilities in its operations.

We are committed to be a role model for the Steel Industry by exceeding compliance obligation through:

- Integrating risks and opportunities related to the environment in business strategies and decisions.
- Our commitment to protect the environment, prevention of pollution, noise, vibration, and complying with other compliances relevant to the context of the organization.
- Continual evaluation of environmental impact and adoption of appropriate practices and technologies to mitigate adverse effects.
- Fulfilling all the related compliance obligations.
- Conservation and efficient utilization of natural resources in our areas of operations and minimizing wastes.
- Continual improvement of Environment Management System and enhancing Environmental performance.
- Developing new grades of steel with lower life cycle impact on the environment.
- Ensure Zero liquid discharge and reduce overall carbon footprint.
- Engaging our workforce, suppliers and community to create an eco-friendly society and to build awareness on the subject
- Taking lead on environmental conservation initiatives and preservation of bio-diversity around areas of our operation.

Rev No: 06

Date: 24th January 2024

P K Murugan President



Public Notice regarding Grant of Environmental Clearance

The Ministry of Environment, Forest and Climate Change, Government of India, has granted Environment Clearance vide its EC Identification No. EC24A1001KA5580178S, Dated 25/07/2024 for Splitting of existing EC of M/s JSW Steel Ltd, Vijayanagar works of 18 MTPA Integrated Steel plant, 1490 MW CPP along with 2.2 MTPA Slag cement between M/s JSW Steel Limited, M/s JSW Vijayanagar Metallics Limited (JVML) and M/s JSW Cement Limited.

Now, ISW Steel Limited will remain with a final configuration of 13 MTPA Integrated Steel facilities, 1490 MW of CPP and 0.2 MTPA Slag cement unit. Transfer of 5 MTPA Integrated Steel facilities to M/s JSW Vijayanagar Metallics Limited and Transfer of 2 MTPA Slag Grinding Unit to Existing 4 MTPA Slag cement plant of M/s JSW Cement Limited, located at Vijayanagar works, Toranagallu, Ballari, Kamataka.

The copy of the same is available at Ministry of Environment, Forest and Climate Change website (www.parivesh.nic.in), Regional Office (Ballari), Head Office (Bengaluru) of Karnataka State Pollution Control Board and Available in company's website (www.jsw.in)

Sd/-

Authorized Signatory (M/s JSW Steel Limited, M/s JSW Vijayanagar Metallics Limited,

Place: Toranagallu

New published in The New Indian Express

ಪರಿಸರೀಯ ಸುಬಗೊಳಸುವಿಕೆ ಮಂಜೂರಾತಿ ಕುರಿತು ಸಾರ್ವಜನಿಕ ಸೂಚನೆ

ಭಾರತ ಸರ್ಕಾರದ ಪರಿಸರ, ಅರಣ್ಯ ಮತ್ತು ಹದಾಮಾನ ಬದಲಾವಣೆ ಸಚಿವಾಲಯವು ತನ್ನ EC ಗುರುತಿನ ಸಂಖ್ಯೆ - EC24A1001KA5580178S ದಿನಾಂಕ: 25/07/2024ರಲ್ಲಿ ಪರಸರೀಯ ಸ್ಥುಟಗೊಳಿಸುವಿಕೆ ಕುರಿತು ಅನುಮತಿಯನ್ನು ನೀಡಿದೆ ಎಂ/ಎಸ್ ಜೆ.ಎಸ್.ಡಬ್ಯೂ ಸ್ಟೀಲ್ ಲಿಮಿಟೆಡ್ನ ಆಸ್ತಿತ್ವದಲ್ಲಿರುವ ಪರಿಸರೀಯ ಸ್ಥುಟಗೊಳಿಸುವಿಕೆಯನ್ನು (EC) ವಿಭಜಿಸುವುದು. ಜೆ.ಎಸ್.ಡಬ್ಯೂ ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ವಿಜಯನಗರದ 18 MTPA, ಮತ್ತು 1490 MW CPP ಜೊತೆಗೆ 2.2 MTPA ಸ್ಟ್ರಾಗ್ ಸಿಮೆಂಟ್ ಗಳನ್ನು, ಎಂ/ಎಸ್ ಜೆ.ಎಸ್.ಡಬ್ಯೂ ಸ್ಟ್ರೀಲ್ ಲಿಮಿಟೆಡ್, ಎಂ/ಎಸ್ ಜೆ.ಎಸ್.ಡಬ್ಯೂ ಸ್ಟ್ರೀಲ್ ಲಿಮಿಟೆಡ್, ಎಂ/ಎಸ್ ಜೆ.ಎಸ್.ಡಬ್ಯೂ ವಿಜಯನಗರ ಮೆಟಾಲಿಕ್ಸ್ ಲಿಮಿಟೆಡ್ ಮತ್ತು ಎಂ/ಎಸ್ ಜೆ.ಎಸ್.ಡಬ್ಯೂ ವಿಜಯನಗರ ಮೆಟಾಲಿಕ್ಸ್ ಲಿಮಿಟೆಡ್ ಮತ್ತು ಎಂ/ಎಸ್ ಜೆ.ಎಸ್.ಡಬ್ಯೂ ನಿರ್ವಜಿಸಿದೆ.

ಈಗ. ಟಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸ್ಟಲ್ ಲಿಮಿಟೆಡ್ 13 MTPA ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ಸೌಲಭ್ಯಗಳು, 1490 MW CPP ಮತ್ತು 0.2 MTPA ಸ್ಟ್ರಾಗ್ ಸಿಮೆಂಟ್ ಘಟಕ. ಇವು ಅಂತಿಮ ಸಂರಚನೆಯೊಂದಿಗೆ ಉಳಿಯುತ್ತದೆ. ಕರ್ನಾಟಕದ ಬಳ್ಳಾರಿ ಜಿಲ್ಲೆಯ, ತೋರಣಗಲ್ಲು ವಿಜಯನಗರ ವರ್ಕ್ಟ್ ನಲ್ಲಿರುವ ಸಂಸ್ಥೆಗಳಾದ, ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಟ್ಯೂ ವಿಜಯನಗರ ಮೆಟಾಲಿಕ್ಸ್ ಲಿಮಿಟೆಡ್ಗೆ 5 MTPA ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ಸೌಲಭ್ಯಗಳನ್ನು ವರ್ಗಾಯಿಸುವುದು ಮತ್ತು ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಟ್ಯೂ ಸಿಮೆಂಟ್ ಲಿಮಿಟೆಡ್, ಅಸ್ತಿತ್ವದಲ್ಲಿರುವ 4 MTPA ಸ್ಟ್ರಾಗ್ ಸ್ಪಿಮೆಂಟ್ ಘಟಕಕ್ಕೆ, 2 MTPA ಸ್ಟ್ರಾಗ್ ಸ್ಪೆಂಡಿಂಗ್ ಘಟಕವನ್ನು ವರ್ಗಾಯಿಸುವುದು.

ಮಂಜುರಾತಿ ಅನುಮತಿಯ ಪ್ರತಿಯು ಪರಿಸರ, ಅರಣ್ಯ ಮತ್ತು ಹವಾಮಾನ ಬದಲಾವಣೆ ಸಚಿವಾಲಯದ ವೆಬ್ಸೈಟ್: (www.parivesh.nic.in), ಪ್ರಾದೇಶಿಕ ಕಚೇರಿ (ಬಳ್ಳಾರಿ), ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿಯ ಪ್ರಧಾನ ಕಚೇರಿ (ಬೆಂಗಳೂರು) ನಲ್ಲಿ ಲಭ್ಯವಿದೆ ಮತ್ತು ಕಂಪನಿಯ ವೆಬ್ಸೈಟ್ನನಲ್ಲಿ ಲಭ್ಯವಿದೆ (www.jsw.in) Sd/- Active Signatory (M/s 15W Steel Limited. ಸ್ಥಳ: ತೋರಣಗಲ್ಲು M/s 15W Vilayanagar Metallics Limited.

New published in Kannada Nudi New Paper

Photographs of the Boads displayed at the Entry of the All units inside the JSW Complex Toranagallu Karnataka India 35°C ate JSW eel work Central Ave, Toranagallu, Karnataka 583123, India Lat: 15.19 | Long: 76.64 ಬೆಎರ್ಡಬ್ನೂ ವಿಜಯನಗರ ಮೆಟಾರಿಕ ರಮಚರ್ JSW VIJAYANAGAR METALLICS LIMITED AVS AUTO Ballari Karnataka India **9** 35°c 5MRR+836, Ballari, Karnataka 583123, India &T Gate Lat: 15.19 | Long: 76.69 Care Inc









