



**Regd. Office:** JSW Centre,  
Bandra – Kurla Complex,  
Bandra East, Mumbai – 400 051  
**CIN** : L27102MH1994PLC152925  
**Phone** : +91 22 4286 1000  
**Fax** : +91 22 4286 3000  
**Website** : www.jsw.in

JSWSL: SECT: MUM: SE: 2025-26  
June 17, 2025

To

<b>1. National Stock Exchange of India Ltd.</b> Exchange Plaza Plot No. C/1, G Block Bandra – Kurla Complex Bandra (E), Mumbai – 400 051 <b>Ref: NSE Symbol - JSWSTEEL</b>  <b>Kind Attn.: Listing Department</b>	<b>2. BSE Limited</b> Corporate Relationship Dept. Phiroze Jeejeebhoy Towers Dalal Street, Mumbai – 400 001. Fax No. 2272 2037/2039/ 2041/ 20 61 <b>Ref: Company Code No.500228.</b>  <b>Kind Attn.: Listing Department</b>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Sub: Intimation of Schedule of Analyst/Institutional Investor Meetings under the Securities Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015**

Dear Sir,

Pursuant to Regulation 30 (6), of the Securities Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015, we hereby inform you that Analyst/ Institutional Investor meeting of the Company is scheduled as under:

Date	Event	Location	Type of Meetings
25 <sup>th</sup> June, 2025	Barclays ESG Emerging Markets Corporate Days 2025	Virtual	Group

*Note: The schedule of the above meeting may undergo change due to exigencies on the part of the investor/company.*

This is for the information of your members and all concerned.

Thanking you,

Yours faithfully,  
For **JSW STEEL LIMITED**

**Manoj Prasad Singh**  
Company Secretary (in the interim capacity)

